



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Creative Learning	Provider Information	CLR No: L383354
Provider Address: 109 Nellums Avenue, Bowling Green, KY, 42103	Provider Type: LICENSED TYPE I	Capacity: 85
Owner(s): Creative Learning, Inc.		Director(s): Carter, Madeline Elizabeth

Inspection Type: Investigation	Inspection Information	Inspection No: 278528
Date Initiated: 02/12/2019 8:45 AM	Date Concluded: 02/12/2019 10:00 AM	
	No. of Children Present: 44	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities.	
(1) A director shall:	
(l) Assure the health, safety, and comfort of each child;	
Findings:	
General: Based on interview, bleach/water solution remained in the holes of multi-colored pegs that were stored in a small plastic container in the toddlers' room on 02/08/19. The caregiver had no prior knowledge the pegs contained bleach/water solution; however, she dumped the pegs onto the floor, the bleach/water solution spilled onto the floor and onto the clothes of several children who were sitting in a circle around the pegs. The bleach/water solution caused discoloration to two (2), two-year-old children's pants and discolored the shirts of a twenty-three-month old child and a two-year-old child. Interviews determined there was too much bleach used to clean the pegs.	

Signature of Provider/Representative

Title

Date