



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Bright Future Child Enrichment Center	Provider Information	CLR No: L355983
Provider Address: 3410 Turkeyfoot Road, Erlanger, KY, 41018	Provider Type: LICENSED TYPE I	Capacity: 131
Owner(s): C-9, Inc.		Director(s): Bunch, Kayla Lynn

Inspection Type: Investigation	Inspection Information	Inspection No: 289787
Date Initiated: 05/17/2019 10:30 AM	Date Concluded: 05/17/2019 12:00 PM	
	No. of Children Present: 68	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.
(1) A director shall:
(l) Assure the health, safety, and comfort of each child;

Findings:

General: Based on observation and interview, at the time of the investigation on 5/17/19 it was found that there was little to no protective surfacing on the facility's playgrounds around and under the climbing/sliding/swinging equipment. The playground surface was mainly dirt and mud. A child fell from a peice of climbing equipment on 5/6/19 resulting in a fractured arm. The Director failed to provide for the children's safety by not ensuring that protective surfacing was in place under the climbing equipment on the playground. In an interview with the facility Director it was stated that she was aware that the playground needed additional surfacing and was expecting an order of mulch within the next week.

Outdoor Play Area	
755 - Protective Surface	Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.
(21) A protective surface shall:
(a) Be provided for outdoor play equipment used to:
1. Climb;
2. Swing; and
3. Slide; and
(b) Have a fall zone equal to the height of the equipment.

Findings:

Based on observation and interview it was found that there was little to no protective surfacing on the facility's playgrounds around and under the climbing/sliding/swinging equipment. The playground surface was mainly dirt and mud. On 5/6/19 a child fell from a climber on the playground and fractured his arm. In an interview with the Director it was stated that the facility was expecting new mulch by the end of the week.

Signature of Provider/Representative

Title

Date