



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203
Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Eric Friedlander
SECRETARY

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Kiddie Kollege	Provider Information	CLR No: L383388
Provider Address: 1194 East Armory Road, Brandenburg, KY, 40108	Provider Type: LICENSED TYPE I	Capacity: 40(Bldg 1: 48)
Owner(s): Kiddie Kollege LLC		Director(s): Winkler, Melissa LeAnn

Inspection Type: Renewal Application	Inspection Information	Inspection No: 318033
Date Initiated: 07/14/2021 10:55 AM	Date Concluded: 07/14/2021 1:35 PM	
	No. of Children Present: 15	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	Not In Compliance
210 - Licensee Responsibility	Not In Compliance
922 KAR 2:090. Section 8. General. (1) A licensee shall: (a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and (b) Protect and assure the health, safety, and comfort of each child.	
Findings: General: Based on observation, an electrical outlet was not covered in the reading area of the school-age room.	
290 - Fire Marshal/Zoning Compliance	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (2) A child-care center shall be in compliance with the State Fire Marshal and the local zoning laws.	
Findings: General: Based on review of documentation, the Fire Marshal's Inspection Report indicated the center failed inspection on 2/24/21.	
Director Requirements	Not In Compliance
345 - Staff Evaluation	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities. (1) A director shall: (j) Assess each staff person's interaction with children in care and classroom performance through an annual written performance evaluation;	
Findings: General: Based on review of documentation, a caregiver hired on 5/28/19, did not have an annual written performance evaluation on file.	

Inspection Report**Employee Records****Not In Compliance****395 - TB Verification****Not In Compliance****922 KAR 2:090. Section 11. Staff Requirements.****(1) Child-care center staff:****(b) Shall provide, prior to employment and every two (2) years thereafter:**

- 1. A statement from a health professional that the individual is free of active tuberculosis; or**
- 2. A copy of negative tuberculin results.**

Findings:

General: Based on review of documentation, a caregiver hired on 4/8/15, had TB documentation on file that was dated 5/11/18. A caregiver hired on 6/4/19, had TB documentation on file that was dated 6/16/19. Also, a caregiver hired on 5/28/19, had TB documentation on file that was dated 11/1/18.

410 - Training**Not In Compliance****922 KAR 2:090. Section 11. Staff Requirements.****(16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:**

- (a) Six (6) hours of cabinet-approved orientation completed within the first three (3) months of employment in a child care program;**
- (b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment in a child care program, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and**
- (c) Fifteen (15) hours of cabinet-approved early care and education training completed between July 1 and the following June 30 of each subsequent year of employment in a child care program, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.**

(17) A staff person's compliance with training requirements of this section shall be verified through the cabinet-designated database maintained pursuant to 922 KAR 2:240.**Findings:**

General: Based on review of documentation, a caregiver hired on 1/3/20, lacked six and a half (6 ½) hours of training during the first year of employment. A caregiver hired on 5/28/19, lacked fourteen (14) hours of training during a subsequent year of employment and did not complete the Pediatric Abusive Head Trauma Training. A caregiver hired on 6/5/19, lacked nine (9) hours of training during a subsequent year of employment and last completed the Pediatric Abusive Head Trauma Training on 6/27/16. A caregiver hired on 6/4/19, lacked thirteen (13) hours of training during a subsequent year of employment. A caregiver hired on 5/28/19, lacked fifteen (15) hours of training during a subsequent year of employment.

Programming**In Compliance****Premises****Not In Compliance****520 - Inaccessible Items****Not In Compliance****922 KAR 2:120. Section 3. General Requirements.****(7) The following shall be inaccessible to a child in care:**

- (a) Toxic cleaning supplies, poisons, and insecticides;**
- (b) Matches, cigarettes, lighters, and flammable liquids; and**
- (c) Personal belongings and medications of staff.**

Findings:

General: Based on observation, a can of Great Value Disinfectant Spray was on a shelf and was accessible to the children in the school-age room.

560 - Building Requirements**Not In Compliance****922 KAR 2:120. Section 4. Premises Requirements.****(5) The building shall be constructed to ensure the:****(a) Building is:**

- 1. Dry;**
- 2. Ventilated; and**
- 3. Well lit, including clean light fixtures that are:**
 - a. In good repair in all areas; and**
 - b. Shielded or have shatter-proof bulbs installed; and**

(b) Following are protected:

- 1. Windows;**
- 2. Doors;**
- 3. Stoves;**
- 4. Heaters;**
- 5. Furnaces;**
- 6. Pipes; and**
- 7. Stairs.**

Findings:

General: Based on observation, dead bugs were in a light fixture in the restroom and six (6) light fixtures in the school-age room. Dead bugs were in three (3) light fixtures in the infants' room. Dead bugs were in seven (7) light fixtures in the two and three-year-olds' room.

645 - Sink

Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
- (d) Equipped with liquid soap;
- (e) Equipped with hand-drying blower or single use disposable hand drying material;
- (f) Equipped with an easily cleanable waste receptacle; and
- (g) Immediately adjacent to a changing area used for infants and toddlers.

Findings:

General: Based on observation, a sink was inoperable in the two and three-year-olds' room. An interview revealed the sink leaked and was turned off until it was repaired.

Hygienic Practices

In Compliance

First Aid/Medication

In Compliance

Outdoor Play Area

In Compliance

Equipment

Not In Compliance

770 - Play Equipment

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

(24) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

(25) Crawl spaces, such as tunnels, shall be short and wide enough to permit access by adults.

(26) A sandbox shall be:

- (a) Constructed to allow for drainage;
- (b) Covered when not in use;
- (c) Kept clean; and
- (d) Checked for vermin prior to use.

Findings:

General: Based on observation, an approximately four and a half (4 ½) feet tall green and black climbing dome was not anchored to the ground in the outdoor play area.

820 - Indoor/Outdoor Equipment

Not In Compliance

922 KAR 2:120. Section 11. Toys and Furnishings.

(2) Indoor and outdoor equipment shall:

- (a) Be clean, safe, and in good repair;
- (b) Meet the physical, developmental needs, and interests of children of different age groups;
- (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
- (d) Be designed to guard against entrapment or situations that may cause strangulation.

Findings:

General: Based on observation, the manufacturer's label on a green and black climbing dome indicated the product was intended for use by children aged three to ten-years-old and was for residential use only. The dome was located in the outdoor play area.

Transportation

Not Applicable

Food Service/Food Program

In Compliance

Food Service

In Compliance

Children's Records

Not In Compliance

1135 - Immunization

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(a) A current immunization certificate for each child in care within thirty (30) days of the child's enrollment, unless an attending physician or the child's parent objects to the immunization of the child pursuant to KRS 214.036;

Findings:

General: Based on review of documentation, a child enrolled on 6/1/21, did not have an immunization certificate on file.

Written Documentation

Not In Compliance

1160 - Daily Attendance Records

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(c) Daily attendance records documenting the arrival and departure time of each child, including records that are required in accordance with 922 KAR 2:160, Section 13, if a child receives services from the child-care center through the Child Care Assistance Program;

Findings:

General: Based on observation and review of documentation, fifteen (15) children were present, and only twelve (12) children had a documented arrival time. Therefore, three (3) children did not have a documented arrival time.

Inspection Report

1175 - Earthquake/Tornado/Fire Drills

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

(h) A written record of quarterly practiced earthquake drills and tornado drills detailing the date, time, and children who participated in accordance with 922 KAR 2:120, Section 3;

(i) A written record of practiced fire drills conducted monthly detailing the date, time, and children who participated in accordance with 922 KAR 2:120, Section 3;

Findings:

General: Based on interview and review of documentation, fire drills were conducted in May and June 2021, but the date, time and name of participants were not documented.

1195 - Fire Drills

Not In Compliance

922 KAR 2:120. Section 3. General Requirements.

(12) A fire drill shall be:

(a) Conducted during hours of operation at least monthly; and

(b) Documented.

(13) An earthquake drill and a tornado drill shall be:

(a) Conducted during hours of operation at least quarterly; and

(b) Documented.

Findings:

General: Based on interview and review of documentation, fire drills were conducted in May and June 2021 but were not documented.

Posted Documentation

In Compliance

Animals

Not Applicable

Signature of Provider/Representative

Title

Date