



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Southern Branch
116 Commerce Ave
London, KY 40744

Adam Mather
INSPECTOR GENERAL

Phone: (606) 330-2030 Fax: (606) 330-2056
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Kids Kastle II	Provider Information	CLR No: L356122
Provider Address: 420 Monticello Street, Somerset, KY, 42501	Provider Type: LICENSED TYPE I	Capacity: 77
Owner(s): Priority Child Care, Inc.		Director(s): Barnett, Keitha

Inspection Type: Investigation	Inspection Information	Inspection No: 307238
Date Initiated: 05/18/2021 11:23 AM	Date Concluded: 05/18/2021 1:08 PM	
	No. of Children Present: 52	

Inspection Report	
General Administration	Not In Compliance
210 - Licensee Responsibility	Not In Compliance
922 KAR 2:090. Section 8. General. (1) A licensee shall: (a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and (b) Protect and assure the health, safety, and comfort of each child.	
Findings:	
General: Based on interviews, the surveyor found that on 4/23/2021, the health, safety and comfort of a child was compromised due to a PVC pipe being exposed on the playground. A child tripped and fell over the PVC pipe, causing injury to a child.	
Outdoor Play Area	Not In Compliance
750 - Playground Conditions	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (20) An outdoor play area shall be: (d) Safe from foreseeable hazard; (e) Well drained; (f) Well maintained; (g) In good repair; and (h) Visible to staff at all times.	
Findings:	
General: Based on interviews, the surveyor found that on 4/23/2021, a child was injured due to a PVC pipe being exposed on the playground; therefore, the outdoor play area was not safe from foreseeable hazard.	

Signature of Provider/Representative

Title

Date