Printed Date: 12/01/2022 KID013A v2.0



Andy Beshear GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care**

Western Branch 901 B South Main Street Hopkinsville, KY 42240 Phone: (270) 889-6052 Fax: (270) 889-6089

https://chfs.ky.gov/agencies/os/oig

Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

Inspection Report

Provider Information

Provider Type: LICENSED TYPE I

Capacity: 65

CLR No: 1 383465

Director(s): Llontop, Melanie

Inspection No: 319306

Provider Address: 531 W. 11th Avenue, Bowling Green, KY, 42101 Owner(s): The Foundry Christian Community Center, Inc.

Provider Name: Foundry Christian Community Center

Inspection Type: Renewal Application

Date Initiated: 11/18/2021 9:30 AM

Inspection Information

Date Concluded: 11/18/2021 1:50 PM

No. of Children Present: 24

Inspection Report

Background Checks

Supervision

Staffing Requirements

General Administration

Director Requirements

Employee Records

In Compliance In Compliance

In Compliance

In Compliance

In Compliance **Not In Compliance**

405 - TR Verification **Not In Compliance**

922 KAR 2:090. Section 11. Staff Requirements.

- (1) Child-care center staff:
- (b) Shall provide, prior to employment and every two (2) years thereafter:
- 1. A statement from a health professional that the individual is free of active tuberculosis; or
- 2. A copy of negative tuberculin results.

Findings:

General: Based on review of documentation and interview, a caregiver hired 8/22/16, had TB documentation on file that was dated 1/11/19. A caregiver hired 8/1/19, had TB documentation on file that was dated 8/19/19. A caregiver hired 8/16/21, did not have TB documentation on file.

Not In Compliance 435 - Training

922 KAR 2:090. Section 11. Staff Requirements.

- (16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:
- (a) Six (6) hours of cabinet-approved orientation completed within the first three (3) months of employment in a child-care program;
- (b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment in a child care program, including one and one-half (1 $^{\prime}\!\!2$) hours of cabinet-approved pediatric abusive head trauma training; and
- (c) Fifteen (15) hours of cabinet-approved early care and education training completed between July 1 and the following June 30 of each subsequent year of employment in a child care program, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.
- (17) A staff person's compliance with training requirements of this section shall be verified through the cabinet-designated database maintained pursuant to 922 KAR 2:240.

General: Based on review of documentation and interview, a caregiver hired 8/1/19, completed twelve (12) hours of training during a subsequent year of employment.

Programming

In Compliance



Inspection Report

Premises

Not In Compliance

690 - Sink Not In Compliance

922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

- (3) A sink shall be:
- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
- (d) Equipped with liquid soap;
- (e) Equipped with hand-drying blower or single use disposable hand drying material;
- (f) Equipped with an easily cleanable waste receptacle; and
- (g) Immediately adjacent to a changing area used for infants and toddlers.

Findings:

General: Based on observation and interview, the hot water temperature registered sixty (60) degrees Fahrenheit at two (2) handwashing sinks in preschool room #1. The hot water temperature registered fifty-nine (59) degrees Fahrenheit at two (2) handwashing sinks in preschool room #3. The hot water temperature registered eighty-three (83) degrees Fahrenheit at two (2) handwashing sinks in preschool room #4.

Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Kitchen Requirements	In Compliance
Food Service	In Compliance
Meal Planning/Center Provides Meals	In Compliance
Meal Planning/Center Does Not Provide Meals	Not Applicable
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance



Title