



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511
Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Kids 'R' Kids School of Quality Learning	Provider Information Provider Type: LICENSED TYPE I	CLR No: L356309
Provider Address: 3271 Beaumont Centre Circle, Lexington, KY, 40513		Capacity: 251
Owner(s): School Bells 2, LLC		Director(s): Tressler, Lindsay

Inspection Type: Investigation	Inspection Information	Inspection No: 289838
Date Initiated: 05/20/2019 9:45 AM	Date Concluded: 05/20/2019 11:09 AM	
	No. of Children Present: 98	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Director Requirements	In Compliance
Programming	Not In Compliance
455 - Discipline	Not In Compliance
<p>922 KAR 2:120. Section 2. Child Care Services. (10) A child shall not be subjected to: (a) Corporal physical discipline pursuant to KRS 199.896(18); (b) Loud, profane, threatening, frightening, humiliating, or abusive language; or (c) Discipline that is associated with: 1. Rest; 2. Toileting; or 3. Food.</p>	
<p>Findings: General: Based on observation, interview and review of documentation, this regulatory requirement was not met. On 5/10/19 a three (3) year-old child was placed in time-out inside a bathroom in Suite 400. Based on interviews and observation of a video, a staff member placed a three (3) year-old child in time-out inside the bathroom for approximately one (1) minute. Based on interviews the staff member put her foot in front of the bathroom door to hold the child inside the bathroom for time-out. The bathroom door is made of glass and the staff member could see the child in the bathroom the entire time he was in time-out. Based on interview, the other staff in the room opened the bathroom door to allow the child to exit when the staff that placed the child in the bathroom moved away from the door. Based on interviews the child did not have any injuries. It is important to note that the employment of both staff was terminated following this incident.</p>	

Signature of Provider/Representative

Title

Date