**Andy Beshear** 

**GOVERNOR** 



## KID013A v2.0

## CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

## Melissa A. Moore, Director

Division of Regulated Child Care Eastern Branch 455 Park Place, Suite 120A Lexington, KY 40511 Phone: (859) 246-2301 Fax: (859) 246-2307 https://chfs.ky.gov/agencies/os/oig Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

	Inspection Report	
	Provider Information	
Provider Name: Breckinridge Elementary After School Program	Provider Type: LICENSED TYPE I	CLR No: L383535
Provider Address: 2101 St. Mathilda Drive, Lexington, KY, 40502	2	Capacity: 100(Bldg 1: 100)
Owner(s): Fayette County Public Schools		Director(s): Marcinek, Melinda
	Inspection Information	
Inspection Type: Renewal Application		Inspection No: 318809
Date Initiated: 11/04/2021 2:15 PM	Date Concluded: 11/04/2021 3:50 PM	
	No. of Children Present: 45	
	Inspection Report	
	Background Checks	In Compliance
	Supervision	In Compliance
	Staffing Requirements	In Compliance
	General Administration	In Compliance
	Director Requirements	In Compliance
	Employee Records	Not In Compliance
00 - Educational Requirements		Not In Compliance
<ul> <li>922 KAR 2:090. Section 11. Staff Requirements.</li> <li>(1) Child-care center staff:</li> <li>(a) Hired after January 1, 2009, who have supervisor</li> <li>1. High school diploma:</li> <li>2. GED or qualifying documentation from a comparal</li> </ul>		dary education, shall have a:
3. Commonwealth Child Care Credential as describe	•••	
3. Commonwealth Child Care Credential as describe Findings:	•••	
	d in 922 KAR 2:250;	of education on file.
Findings: General: Based on review of documentation, four staff members	d in 922 KAR 2:250;	
Findings:	d in 922 KAR 2:250; s (dates of hire: (2) 8/9/21, 8/18/21, 11/1/21) did not have proof (2) years thereafter:	
Findings: General: Based on review of documentation, four staff members 05 - TB Verification 922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (b) Shall provide, prior to employment and every two 1. A statement from a health professional that the ir	d in 922 KAR 2:250; s (dates of hire: (2) 8/9/21, 8/18/21, 11/1/21) did not have proof (2) years thereafter:	
Findings: General: Based on review of documentation, four staff members 05 - TB Verification 922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (b) Shall provide, prior to employment and every two 1. A statement from a health professional that the ir 2. A copy of negative tuberculin results.	d in 922 KAR 2:250; s (dates of hire: (2) 8/9/21, 8/18/21, 11/1/21) did not have proof (2) years thereafter: ndividual is free of active tuberculosis; or : (hire dates: 8/9/21, 8/18/21, 9/13/21,10/7/21, 11/1/21) did not l	Not in Compliance
Findings: General: Based on review of documentation, four staff members 05 - TB Verification 922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (b) Shall provide, prior to employment and every two 1. A statement from a health professional that the ir 2. A copy of negative tuberculin results. Findings: General: Based on review of documentation, five staff members	d in 922 KAR 2:250; s (dates of hire: (2) 8/9/21, 8/18/21, 11/1/21) did not have proof (2) years thereafter: ndividual is free of active tuberculosis; or : (hire dates: 8/9/21, 8/18/21, 9/13/21,10/7/21, 11/1/21) did not l	Not In Compliance
Findings: General: Based on review of documentation, four staff members 05 - TB Verification 922 KAR 2:090. Section 11. Staff Requirements. (1) Child-care center staff: (b) Shall provide, prior to employment and every two 1. A statement from a health professional that the ir 2. A copy of negative tuberculin results. Findings: General: Based on review of documentation, five staff members	d in 922 KAR 2:250; s (dates of hire: (2) 8/9/21, 8/18/21, 11/1/21) did not have proof (2) years thereafter: ndividual is free of active tuberculosis; or : (hire dates: 8/9/21, 8/18/21, 9/13/21,10/7/21, 11/1/21) did not l	Not In Compliance



Inspection Report

And Supplies       Not In Compliance         922 KAR 2:120. Section 7. First Aid and Medicine.       (1)         (1) First aid supplies shall:       (a) Be available to provide prompt and proper first aid treatment;         (b) Be stored out of reach of a child;       (c) Be periodically inventoried to ensure the supplies have not expired;         (d) If reusable, be:       1. Sanitized; and         2. Maintained in a sanitary manner; and       (e) Include:         1. Liquid scap;       2. Adhesive bandages;         3. Sterile gauze;       4. Medical tape;         5. Scissors;       6. A thermometer;         7. Flashlight;       8. Cold pack;         8. Cold pack;       9. First aid book;         10. Disposable gloves; and       11. A cardiopulmonary resuscitation mouthpiece protector.		First Aid/Medication	Not In Compliance
922 KAR 2:120. Section 7. First Aid and Medicine.         (1) First aid supplies shall:         (a) Be available to provide prompt and proper first aid treatment;         (b) Be stored out of reach of a child;         (c) Be periodically inventoried to ensure the supplies have not expired;         (d) If reusable, be:         1. Sanitized; and         2. Maintained in a sanitary manner; and         (e) Include:         1. Liquid soap;         2. Adhesive bandages;         3. Sterile gauze;         4. Medical tape;         5. Scissors;         6. A thermometer;         7. Flashlight;         8. Cold pack;         9. First aid book;         10. Disposable gloves; and         11. A cardiopulmonary resuscitation mouthpiece protector.	D First Aid Supplies	The Addition	•
<ul> <li>(1) First aid supplies shall:</li> <li>(a) Be available to provide prompt and proper first aid treatment;</li> <li>(b) Be stored out of reach of a child;</li> <li>(c) Be periodically inventoried to ensure the supplies have not expired;</li> <li>(d) If reusable, be: <ol> <li>Sanitized; and</li> <li>Maintained in a sanitary manner; and</li> <li>(e) Include: <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> </ol> </li> </ol></li></ul>	o - First Ald Supplies		Not in Compliance
<ul> <li>(a) Be available to provide prompt and proper first aid treatment;</li> <li>(b) Be stored out of reach of a child;</li> <li>(c) Be periodically inventoried to ensure the supplies have not expired;</li> <li>(d) If reusable, be: <ol> <li>Sanitized; and</li> <li>Maintained in a sanitary manner; and</li> <li>(e) Include: <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> </ol> </li> </ol></li></ul>	922 KAR 2:120. Section 7. First Aid and Med	licine.	
<ul> <li>(b) Be stored out of reach of a child;</li> <li>(c) Be periodically inventoried to ensure the supplies have not expired;</li> <li>(d) If reusable, be: <ol> <li>Sanitized; and</li> <li>Maintained in a sanitary manner; and</li> <li>(e) Include: <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol> </li> </ol></li></ul>	(1) First aid supplies shall:		
<ul> <li>(c) Be periodically inventoried to ensure the supplies have not expired;</li> <li>(d) If reusable, be: <ol> <li>Sanitized; and</li> <li>Maintained in a sanitary manner; and</li> <li>(e) Include: <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol> </li> </ol></li></ul>	(a) Be available to provide prompt and pro	per first aid treatment;	
<ul> <li>(d) If reusable, be:</li> <li>1. Sanitized; and</li> <li>2. Maintained in a sanitary manner; and</li> <li>(e) Include: <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol> </li> </ul>	(b) Be stored out of reach of a child;		
<ol> <li>Sanitized; and</li> <li>Maintained in a sanitary manner; and</li> <li>Include:         <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol> </li> </ol>	(c) Be periodically inventoried to ensure the	e supplies have not expired;	
<ol> <li>Maintained in a sanitary manner; and</li> <li>Include:         <ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol> </li> </ol>	(d) If reusable, be:		
<ul> <li>(e) Include:</li> <li>1. Liquid soap;</li> <li>2. Adhesive bandages;</li> <li>3. Sterile gauze;</li> <li>4. Medical tape;</li> <li>5. Scissors;</li> <li>6. A thermometer;</li> <li>7. Flashlight;</li> <li>8. Cold pack;</li> <li>9. First aid book;</li> <li>10. Disposable gloves; and</li> <li>11. A cardiopulmonary resuscitation mouthpiece protector.</li> </ul>	1. Sanitized; and		
<ol> <li>Liquid soap;</li> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol>	2. Maintained in a sanitary manner; and		
<ol> <li>Adhesive bandages;</li> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol>	(e) Include:		
<ol> <li>Sterile gauze;</li> <li>Medical tape;</li> <li>Scissors;</li> <li>A thermometer;</li> <li>Flashlight;</li> <li>Cold pack;</li> <li>First aid book;</li> <li>Disposable gloves; and</li> <li>A cardiopulmonary resuscitation mouthpiece protector.</li> </ol>	1. Liquid soap;		
<ul> <li>4. Medical tape;</li> <li>5. Scissors;</li> <li>6. A thermometer;</li> <li>7. Flashlight;</li> <li>8. Cold pack;</li> <li>9. First aid book;</li> <li>10. Disposable gloves; and</li> <li>11. A cardiopulmonary resuscitation mouthpiece protector.</li> </ul>	2. Adhesive bandages;		
<ul> <li>5. Scissors;</li> <li>6. A thermometer;</li> <li>7. Flashlight;</li> <li>8. Cold pack;</li> <li>9. First aid book;</li> <li>10. Disposable gloves; and</li> <li>11. A cardiopulmonary resuscitation mouthpiece protector.</li> </ul>	3. Sterile gauze;		
<ul> <li>6. A thermometer;</li> <li>7. Flashlight;</li> <li>8. Cold pack;</li> <li>9. First aid book;</li> <li>10. Disposable gloves; and</li> <li>11. A cardiopulmonary resuscitation mouthpiece protector.</li> </ul>	4. Medical tape;		
7. Flashlight; 8. Cold pack; 9. First aid book; 10. Disposable gloves; and 11. A cardiopulmonary resuscitation mouthpiece protector.	5. Scissors;		
8. Cold pack; 9. First aid book; 10. Disposable gloves; and 11. A cardiopulmonary resuscitation mouthpiece protector.	6. A thermometer;		
9. First aid book; 10. Disposable gloves; and 11. A cardiopulmonary resuscitation mouthpiece protector.			
10. Disposable gloves; and 11. A cardiopulmonary resuscitation mouthpiece protector.			
11. A cardiopulmonary resuscitation mouthpiece protector.	9. First aid book;		
	10. Disposable gloves; and		
Findings:	11. A cardiopulmonary resuscitation mout	hpiece protector.	
	Findings:		

General: Based on observation and interview, the surveyor found the first aid supplies did not include medical tape and a CPR mouthpiece.

Outdoor Play Area	
	In Complianc
Equipment	In Complianc
Transportation	Not Applicabl
Kitchen Requirements	In Complianc
Food Service	In Complianc
Meal Planning/Center Provides Meals	Not In Complianc
220 - Menu	Not In Complianc
<ul> <li>(9) A weekly menu shall be:</li> <li>(a) Prepared;</li> <li>(b) Dated;</li> <li>(c) Posted in advance in a conspicuous place;</li> <li>(d) Kept on file for thirty (30) days; and</li> <li>(e) Amended in writing with any substitutions on the day the meal is served.</li> </ul>	
Findings:	
Findings: General: Based on interview and review of documentation, the surveyor found that there was not a snack menu posted or available for review.	
Findings:	In Complianc
Findings: General: Based on interview and review of documentation, the surveyor found that there was not a snack menu posted or available for review.	· · · · ·
Findings: General: Based on interview and review of documentation, the surveyor found that there was not a snack menu posted or available for review. Meal Planning/Center Does Not Provide Meals	In Complianc In Complianc Not In Complianc
Findings: General: Based on interview and review of documentation, the surveyor found that there was not a snack menu posted or available for review. Meal Planning/Center Does Not Provide Meals Children's Records	In Complianc

Findings:

General: Based on review of documentation, the surveyor found the emergency preparedness plan presented for review was dated 7/20/2016. Therefore, the plan had not been revised and recently submitted to the local emergency preparedness agency.



Increation	Domont
Inspection	Report

Posted Documentation	Not In Compliance
sting Requirements	Not In Compliance
R 2:090. Section 8. General.	
addition to the posting requirement of KRS 199.898(3), a child-care center shall post the following in a conspicuous place and make	
le for public inspection:	
e provider's preliminary or regular license;	
ch statement of deficiency and civil penalty notice issued by the cabinet during the current licensure year:	

(b) Eac (c) Each plan of correction submitted by the child-care center to the cabinet during the current licensure year;

(d) Information on the Kentucky Consumer Product Safety Program and the program's Web site as specified in KRS 199.897;

(e) A description of services provided by the child-care center, including:

1. Current rates for child care; and

2. Each service charged separately and in addition to the basic rate for child care;

(f) Minimum staff-to-child ratios and group size established in 922 KAR 2:120; and

(g) Daily planned program.

Findings:

1310 - Pos 922 KAF (6) In a availabl (a) The

General: Based on review of documentation, the surveyor found that information about the Kentucky Consumer Product Safety Program was not posted.

Animals

Not Applicable

