Printed Date: 12/01/2022 KID013A v2.0



Andy Beshear GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care**

Eastern Branch 455 Park Place, Suite 120A Lexington, KY 40511 Phone: (859) 246-2301 Fax: (859) 246-2307 https://chfs.ky.gov/agencies/os/oig

Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

Inspection Report

Provider Information

Provider Type: LICENSED TYPE I

Capacity: 76

Provider Address: 6367 Taylor Mill Rd., Independence, KY, 41015

Director(s): Wartenbe, Jessica

Owner(s): Taylor Mill Learning Center, Llc

Provider Name: Taylor Mill Learning Center

Inspection Information

Inspection Type: Renewal Application Date Initiated: 09/22/2022 9:48 AM

Date Concluded: 09/22/2022 11:28 AM

No. of Children Present: 28

Inspection No: 322712

CLR No: 1 383544

Inspection Report

Background Checks

In Compliance

Supervision

In Compliance

Staffing Requirements

In Compliance

General Administration

Not In Compliance Not In Compliance

225 - Licensee Responsibility

922 KAR 2:090. Section 8. General.

- (1) A licensee shall:
- (a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and
- (b) Protect and assure the health, safety, and comfort of each child.

General: Based on observation, this regulatory requirement was not met. The following was found:

- 1. An unprotected electrical outlet was observed in the Red Room (one-year-olds) near the side exit door.
- 2. An unprotected electrical outlet was observed in the Red Room (one-year-olds) bathroom. This outlet was located high on the wall, but a stack of chairs was located below the outlet. It should be noted one of the outlets was covered, but the other one was not covered.
- 3. An unprotected electrical outlet was observed in the Infant room on the back wall. A rocker was plugged into the bottom outlet, but the top outlet was unprotected.

Director Requirements

In Compliance

Employee Records

Not In Compliance

405 - TB Verification **Not In Compliance**

922 KAR 2:090. Section 11. Staff Requirements.

- (b) Shall provide, prior to employment and every two (2) years thereafter:
- A statement from a health professional that the individual is free of active tuberculosis; or
- 2. A copy of negative tuberculin results.

Findings:

General: Based on review of documentation, this regulatory requirement was not met. A staff hired on 7/18/2022, did not have negative TB documentation on file.

Programming

In Compliance

Premises

In Compliance



Inspection Report	
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Kitchen Requirements	In Compliance
Food Service	In Compliance
Meal Planning/Center Provides Meals	In Compliance
Meal Planning/Center Does Not Provide Meals	In Compliance
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance

