



Andy Beshear  
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES  
OFFICE OF INSPECTOR GENERAL

Eric Friedlander  
SECRETARY

Melissa A. Moore, Director  
Division of Regulated Child Care  
Western Branch  
901 B South Main Street  
Hopkinsville, KY 42240

Adam Mather  
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089  
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

<b>Provider Name:</b> Mother Hen, LLC	<b>Provider Information</b>	<b>CLR No:</b> L383605
<b>Provider Address:</b> 155 Silver St., Beaver Dam, KY, 42320	<b>Provider Type:</b> LICENSED TYPE I	<b>Capacity:</b> 40(Bldg 1: 41)
<b>Owner(s):</b> Mother Hen, LLC		<b>Director(s):</b> Riley, Nakisha Mae

<b>Inspection Type:</b> Investigation	<b>Inspection Information</b>	<b>Inspection No:</b> 321666
<b>Date Initiated:</b> 06/15/2022 2:10 PM	<b>Date Concluded:</b> 06/15/2022 3:40 PM	
	<b>No. of Children Present:</b> 58	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	Not In Compliance

225 - Licensee Responsibility Not In Compliance

**922 KAR 2:090. Section 8. General.**  
**(1) A licensee shall:**  
**(a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and**  
**(b) Protect and assure the health, safety, and comfort of each child.**

**Findings:**

General: Based on observation and review of documentation, the licensee failed to ensure the center met the approved capacity on the following dates: fifty-eight (58) children were present at the center on 6/15/22; forty-seven (47) children were present on 5/23/22; fifty-seven (57) children were present on 5/24/22; fifty (50) children were present on 5/25/22; fifty-three (53) children were present on 5/26/22, and forty-five (45) children were present on 5/27/22. A review of the fire marshal's inspection report determined a safe capacity was forty (40). Therefore, the safety of everyone present was compromised on the aforementioned dates.

305 - Fire Marshal/Zoning Compliance Not In Compliance

**922 KAR 2:120. Section 4. Premises Requirements.**  
**(2) A child-care center shall be in compliance with the codes administered by the Kentucky Fire Marshal and the local zoning laws.**

**Findings:**

General: Based on observation and review of documentation, fifty-eight (58) children were present at the center on 6/15/22. A review of the children's attendance records indicated the center did not meet the approved capacity on the following days: forty-seven (47) children were present on 5/23/22, fifty-seven (57) children were present on 5/24/22, fifty (50) children were present on 5/25/22, fifty-three (53) children on 5/26/22, and forty-five (45) children on 5/27/22. A review of the Fire Marshal's inspection report determined the center's approved capacity was forty (40) children. Therefore, the center was not in compliance with the Fire Marshal's recommended capacity.

Signature of Provider/Representative

Title

Date