



**Andy Beshear**  
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES**  
**OFFICE OF INSPECTOR GENERAL**

**Eric Friedlander**  
SECRETARY

**Melissa A. Moore, Director**  
Division of Regulated Child Care  
Northern Branch  
908 W. Broadway, 10-W  
Louisville, KY 40203

**Adam Mather**  
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773  
<https://chfs.ky.gov/agencies/os/oig>

**Inspection Report**

<b>Provider Name:</b> The B Hive Childcare Academy	<b>Provider Information</b>	<b>CLR No:</b> L383693
<b>Provider Address:</b> 230 Yager Ave., Lagrange, KY, 40031	<b>Provider Type:</b> LICENSED TYPE I	<b>Capacity:</b> 76(Bldg 1: 117)
<b>Owner(s):</b> The B Hive Child Care Academy LLC		<b>Director(s):</b> Sale, Brooke Renae

<b>Inspection Type:</b> Investigation	<b>Inspection Information</b>	<b>Inspection No:</b> 243018
<b>Date Initiated:</b> 12/19/2017 12:20 PM	<b>Date Concluded:</b> 12/19/2017 1:30 PM	
	<b>No. of Children Present:</b> 44	

Inspection Report	
<b>Supervision</b>	<b>In Compliance</b>
<b>Staffing Requirements</b>	<b>In Compliance</b>
<b>Director Requirements</b>	<b>Not In Compliance</b>
<b>265 - Health, Safety, Comfort</b>	<b>Not In Compliance</b>
<b>922 KAR 2:110. Section 4. Director Requirements and Responsibilities.</b> <b>(1) Effective with the adoption of this administrative regulation, a director shall:</b> <b>(l) Provide for the health, safety, and comfort of each child;</b>	
<b>Findings:</b>	
General: Based on observation and review of documentation, the child care center director failed to assure compliance with regulatory requirements. Based on observation, the surveyor observed an uncovered electrical outlet in the Pre-K room during the initial walk-through. A review of documentation revealed a photograph of an uncovered electrical outlet in a room where toddlers were playing.	
<b>Equipment</b>	<b>Not In Compliance</b>
<b>755 - Toys/Equipment/Furniture</b>	<b>Not In Compliance</b>
<b>922 KAR 2:120. Section 11. Toys and Furnishings.</b> <b>(1) All toys, equipment, and furniture contacted by a child shall be:</b> <b>(a) Kept clean and in good repair; and</b> <b>(b) Free of peeling, flaking, or chalking paint.</b>	
<b>Findings:</b>	
General: Based on observation, interview, and review of documentation, the child care center failed to maintain equipment in accordance with regulatory requirements. Based on observation, a child was lifted out of a highchair as the surveyor entered into the room. A safety belt was not disconnected prior to the child taken from the seat. Interviews and written statements revealed that children are at times placed in the highchairs without the use of a belt.	

910 - Bottle Feeding

Not In Compliance

922 KAR 2:120. Section 3. General Requirements.

(11) While bottle feeding an infant, the:

(a) Child shall be held; and

(b) Bottle shall not be:

- 1. Propped;
- 2. Left in the mouth of a sleeping infant; or
- 3. Heated in a microwave

Findings:

General: Based on interview and review of documentation, the child care center failed to maintain food service in accordance with regulatory requirements. Interviews revealed that bottles have been propped during "busy times". Review of documentation, including photographs and written statements, revealed that bottles are propped while feeding infants in the infant room.

Signature of Provider/Representative

Title

Date