



**Andy Beshear**  
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES**  
**OFFICE OF INSPECTOR GENERAL**

**Eric Friedlander**  
SECRETARY

**Melissa A. Moore, Director**  
Division of Regulated Child Care  
Eastern Branch  
455 Park Place, Suite 120A  
Lexington, KY 40511

**Adam Mather**  
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307  
<https://chfs.ky.gov/agencies/os/oig>

**Inspection Report**

<b>Provider Name:</b> AlphaBest at Beechgrove Elementary	<b>Provider Information</b>	<b>CLR No:</b> L383849
<b>Provider Address:</b> 1029 Bristow Rd., Independence, KY, 41051	<b>Provider Type:</b> LICENSED TYPE I	<b>Capacity:</b> 45
<b>Owner(s):</b> AlphaBEST Education, Inc.		<b>Director(s):</b> Neaves, Shane Michael

<b>Inspection Type:</b> Renewal Application	<b>Inspection Information</b>	<b>Inspection No:</b> 306199
<b>Date Initiated:</b> 03/03/2021 3:00 PM	<b>Date Concluded:</b> 03/03/2021 4:16 PM	
	<b>No. of Children Present:</b> 3	

Inspection Report	
<b>Background Checks</b>	<b>In Compliance</b>
<b>Supervision</b>	<b>In Compliance</b>
<b>Staffing Requirements</b>	<b>In Compliance</b>
<b>General Administration</b>	<b>Not In Compliance</b>
<b>155 - Liability Insurance</b>	<b>Not In Compliance</b>
<b>922 KAR 2:090. Section 6. License Issuance.</b> <b>(8) To qualify for a preliminary license, or maintain a regular license, a child-care center shall:</b> <b>(d) Provide written proof of liability insurance coverage of at least \$100,000 per occurrence;</b>	
<b>Findings:</b>	
General: Based on observation and review of documentation, this regulatory requirement was not met. The copy of general liability insurance on file was no longer current. The certificate on file was dated 3/01/2020 to 3/01/2021.	
<b>Director Requirements</b>	<b>In Compliance</b>
<b>Employee Records</b>	<b>In Compliance</b>
<b>Programming</b>	<b>In Compliance</b>
<b>Premises</b>	<b>Not In Compliance</b>
<b>580 - Floors, Walls, Ceilings</b>	<b>Not In Compliance</b>
<b>922 KAR 2:120. Section 4. Premises Requirements.</b> <b>(9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.</b>	
<b>Findings:</b>	
General: Based on observation, this regulatory requirement was not met. A hole was observed in the wall next to a urinal in the boy's bathroom. The bathroom was located outside of the library.	
<b>Hygienic Practices</b>	<b>In Compliance</b>
<b>First Aid/Medication</b>	<b>In Compliance</b>
<b>Outdoor Play Area</b>	<b>In Compliance</b>
<b>Equipment</b>	<b>In Compliance</b>
<b>Transportation</b>	<b>Not Applicable</b>
<b>Food Service/Food Program</b>	<b>In Compliance</b>

**Inspection Report**

**Food Service**

**In Compliance**

**Children's Records**

**In Compliance**

**Written Documentation**

**In Compliance**

**Posted Documentation**

**Not In Compliance**

**1215 - Daily Activities**

**Not In Compliance**

**922 KAR 2:090. Section 10. Director Requirements and Responsibilities.**

**(1) A director shall:**

**(h) Post a schedule of daily activities, to include dates and times of activities to be conducted with the children in each classroom;**

**Findings:**

General: Based on observation and review of documentation, this regulatory requirement was not met. The facility did not have a daily schedule of activities, including dates and times of the activities posted.

**Animals**

**In Compliance**

**Emergency Regulation**

**In Compliance**

Signature of Provider/Representative

Title

Date