



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Lyon Cub Day Care	Provider Information	CLR No: L383865
Provider Address: 201 W. Fairview Ave., Eddyville, KY, 42038	Provider Type: LICENSED TYPE I	Capacity: 150
Owner(s): Lyon County Board Of Education		Director(s): Perdue, Amy Lynn

Inspection Type: Renewal Application	Inspection Information	Inspection No: 305686
Date Initiated: 01/12/2021 8:50 AM	Date Concluded: 01/12/2021 11:25 AM	
	No. of Children Present: 9	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance

520 - Inaccessible Items **Not In Compliance**

922 KAR 2:120. Section 3. General Requirements.
(7) The following shall be inaccessible to a child in care:
(a) Toxic cleaning supplies, poisons, and insecticides;
(b) Matches, cigarettes, lighters, and flammable liquids; and
(c) Personal belongings and medications of staff.

Findings:

General: Based on observation, two (2) bottles of hand sanitizer were labeled "Keep out of reach of children," and were stored accessible to the children on a table in room 327. In addition, a bottle of hand sanitizer was labeled "Keep out of reach of children," and was stored accessible to the children on a desk in room 329.

645 - Sink **Not In Compliance**

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.
(3) A sink shall be:
(a) Located in or immediately adjacent to toilet rooms;
(b) Equipped with hot and cold running water that allows for hand washing;
(c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
(d) Equipped with liquid soap;
(e) Equipped with hand-drying blower or single use disposable hand drying material;
(f) Equipped with an easily cleanable waste receptacle; and
(g) Immediately adjacent to a changing area used for infants and toddlers.

Findings:

General: Based on observation, there was no running hot water at the handwashing sink in room 327.

Inspection Report

Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Food Service/Food Program	In Compliance
Food Service	Not In Compliance

1025 - Refrigerator **Not In Compliance**

922 KAR 2:120. Section 8. Kitchen Requirements.
(4) A cold-storage facility used for storage of perishable food in a nonfrozen state shall:
(a) Have an indicating thermometer or other appropriate temperature measuring device;
(b) Be in a safe environment for preservation; and
(c) Be forty (40) degrees Fahrenheit or below.

Findings:

General: Based on observation, a thermometer or temperature indicating device was not present in a refrigerator in room 327.

Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance
Emergency Regulation	Not In Compliance

1260 - Emergency Regulation **Not In Compliance**

922 KAR 2:410E. Emergency Regulation.
Due to the current declared public health emergency caused by the Novel Coronavirus Disease (COVID-19), licensed child care centers must operate under Centers for Disease Control and Prevention and public health guidelines, as mandated by 922 KAR 2:410E, to prevent the spread of COVID-19.

Findings:

General: Based on observation, the center failed to assure all child care staff, directors, owners, and operators shall complete a new, mandatory training on cleaning, sanitizing, health procedures, and mandatory reporting prior to the date of reopening, in accordance with 922KAR2:410E Section 9 (1). Two (2) caregivers each hired 08/19/19, did not have documentation of completing the mandatory training prior to the center reopening.

Signature of Provider/Representative

Title

Date