



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240
Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Little Sprouts Learning Center	Provider Information	CLR No: L383926
Provider Address: 105 S. 2nd Street, Scottsville, KY, 42164	Provider Type: LICENSED TYPE I	Capacity: 40
Owner(s): Christian Beginnings		Director(s): Embry, Ann-Elizabeth

Inspection Type: Renewal Application	Inspection Information	Inspection No: 293415
Date Initiated: 07/07/2020 10:45 AM	Date Concluded: 07/07/2020 1:40 PM	
	No. of Children Present: 22	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance

645 - Sink **Not In Compliance**

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;**
- (b) Equipped with hot and cold running water that allows for hand washing;**
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;**
- (d) Equipped with liquid soap;**
- (e) Equipped with hand-drying blower or single use disposable hand drying material;**
- (f) Equipped with an easily cleanable waste receptacle; and**
- (g) Immediately adjacent to a changing area used for infants and toddlers.**

Findings:

General: Based on observation, and interview, the hot water temperature registered eighty (80) degrees Fahrenheit, at the hand washing sink in one year olds' room and in the two year olds' room.

Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	Not Applicable
Food Service/Food Program	In Compliance

Inspection Report

Food Service

Not In Compliance

1025 - Refrigerator

Not In Compliance

922 KAR 2:120. Section 8. Kitchen Requirements.

- (4) A cold-storage facility used for storage of perishable food in a nonfrozen state shall:**
 - (a) Have an indicating thermometer or other appropriate temperature measuring device;**
 - (b) Be in a safe environment for preservation; and**
 - (c) Be forty (40) degrees Fahrenheit or below.**

Findings:

General: Based on observation, a thermometer or temperature indicating device was not inside the refrigerator in the two year olds' room.

Children's Records

In Compliance

Written Documentation

Not In Compliance

1195 - Fire Drills

Not In Compliance

922 KAR 2:120. Section 3. General Requirements.

- (12) A fire drill shall be:**
 - (a) Conducted during hours of operation at least monthly; and**
 - (b) Documented.**
- (13) An earthquake drill and a tornado drill shall be:**
 - (a) Conducted during hours of operation at least quarterly; and**
 - (b) Documented.**

Findings:

General: Based on review of documentation and interview, a monthly, practiced fire drill was not conducted in June 2020.

Posted Documentation

In Compliance

Animals

In Compliance

Emergency Regulation

In Compliance

Signature of Provider/Representative

Title

Date