Printed Date: 12/01/2022 KID013A v2.0



**Andy Beshear GOVERNOR** 

## **CABINET FOR HEALTH AND FAMILY SERVICES** OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care** Eastern Branch

455 Park Place, Suite 120A Lexington, KY 40511 Phone: (859) 246-2301 Fax: (859) 246-2307 https://chfs.ky.gov/agencies/os/oig

**Eric Friedlander SECRETARY** 

**Adam Mather INSPECTOR GENERAL** 

**CLR No:** L357083

Inspection No: 218829

## **Inspection Report**

**Provider Information** 

Provider Type: LICENSED TYPE I

Capacity: 65

Provider Address: 4 Hidden Valley Street, Highland Heights, KY, 41076

Owner(s): Aunt Kathy's Childcare, Inc. Director(s): Donelan, Kathy A

**Inspection Information** 

Inspection Type: Investigation

Date Initiated: 02/06/2017 10:05 AM

Provider Name: Aunt Kathy's Child Care

Date Concluded: 02/06/2017 11:15 AM

No. of Children Present: 29

**Inspection Report** 

Supervision In Compliance

**Staffing Requirements** In Compliance

**Director Requirements Not In Compliance** 

265 - Health, Safety, Comfort **Not In Compliance** 

922 KAR 2:110. Section 4. Director Requirements and Responsibilities.

- (1) Effective with the adoption of this administrative regulation, a director shall:
- (I) Provide for the health, safety, and comfort of each child;

General: Based on Interview, a staff person placed a plastic cup containing water into a microwave to heat up for a bottle. She stated that the water was in the microwave for approximately forty (40) to forty five (45) seconds. She then sat the cup next to the microwave while she got a bib for another child. An eleven (11) month old child pulled up to the table where the cup was sitting and tipped the cup over while the staff person had her back to the child. The child received first and second degree burns on her arm, face and fingers.



Title

An Equal Opportunity Employer M/F/D