



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203

Adam Mather
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: "The Swamp" / Nelson County FRYSC Child Care	Provider Information Provider Type: LICENSED TYPE I	License No: L357180
Provider Address: 211 East Muir, Bardstown, KY, 40004		Capacity: 141
Owner(s): Nelson County Board Of Education		Director(s): Hickman, Brenda Kay

Inspection Type: Change of Location	Inspection Information	Inspection No: 192484
Visit Start Date: 09/17/2015 10:08 AM	Visit End Date: 09/17/2015 10:23 AM	
	No. of Children Present: 39	

Inspection Report

General Administration

60 - Zoning	In Compliance
<p>922 KAR 2:090. Section 6. License Issuance. (11) To qualify for a preliminary license, or maintain a regular license, a child-care center shall: (a) Provide written documentation from the local authority showing compliance with local zoning requirements;</p>	
65 - Fire Marshal	In Compliance
<p>922 KAR 2:090. Section 6. License Issuance. (11) To qualify for a preliminary license, or maintain a regular license, a child-care center shall: (b) Be approved by the Office of the State Fire Marshal or designee;</p>	
70 - Water/Sewage	In Compliance
<p>922 KAR 2:090. Section 6. License Issuance. (11) To qualify for a preliminary license, or maintain a regular license, a child-care center shall: (c) Have an approved water and sewage system in accordance with local, county, and state laws;</p>	
75 - Liability Insurance	In Compliance
<p>922 KAR 2:090. Section 6. License Issuance. (11) To qualify for a preliminary license, or maintain a regular license, a child-care center shall: (d) Provide written proof of liability insurance coverage of at least \$100,000 per occurrence;</p>	
205 - Fire Marshal/Zoning Compliance	In Compliance
<p>922 KAR 2:120. Section 4. Premises Requirements. (2) A child-care center shall be in compliance with the State Fire Marshal requirements established in KRS 227.220 and the local zoning laws.</p>	
Premises	
460 - Inaccessible Items	In Compliance



Inspection Report

922 KAR 2:120. Section 3. General Requirements.

- (7) Except in accordance with subsection (8) of this section, the following shall be inaccessible to a child in care:
- (a) Toxic cleaning supplies, poisons, and insecticides;
 - (b) Knives and sharp objects;
 - (c) Matches, cigarettes, lighters, and flammable liquids;
 - (d) Plastic bags;
 - (e) Litter and rubbish;
 - (f) Bar soap; and
 - (g) Personal belongings and medications of staff.

465 - Items Accessible Only During Activity

In Compliance

922 KAR 2:120. Section 3. General Requirements.

- (8) The following shall be inaccessible to a child in care unless under direct supervision and part of planned program of instruction:
- (a) Knives and sharp objects;
 - (b) Litter and rubbish; and
 - (c) Plastic bags not used for personal belongings.

470 - Guns/Ammunition Storage

In Compliance

922 KAR 2:120. Section 3. General Requirements.

- (9) In accordance with KRS 527.070(1), firearms and ammunition shall be stored separately in a locked area outside of the designated child care area.

480 - Premises Requirements

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (1) The premises shall be:
- (a) Suitable for the purpose intended;
 - (b) Kept clean and in good repair;

485 - Phone Requirement

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (1) The premises shall be:
- (c) Equipped with a working land-line telephone accessible to a room used by a child.

490 - Fire Exits Clear

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (3) Fire and emergency exits shall be kept clear of debris.

500 - Building Requirements

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (5) The building shall be constructed to ensure the:
- (a) Building is:
 - 1. Dry;
 - 2. Adequately heated;
 - 3. Ventilated; and
 - 4. Well lit, including clean light fixtures that are:
 - a. In good repair in all areas; and
 - b. Shielded or have shattered proof bulbs installed; and
 - (b) Following are protected:
 - 1. Windows;
 - 2. Doors;
 - 3. Stoves;
 - 4. Heaters;
 - 5. Furnaces;
 - 6. Pipes; and
 - 7. Stairs.

505 - 35 Square Feet per Child

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (6) Exclusive of the kitchen, bathroom, hallway, and storage area, there shall be a minimum of thirty-five (35) square feet of space per child.

510 - Pest Control

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (7) Measures shall be utilized to control the presence of:
- (a) Rodents;
 - (b) Flies;
 - (c) Roaches; and
 - (d) Other vermin.

515 - Protected Openings

In Compliance

Inspection Report

922 KAR 2:120. Section 4. Premises Requirements.

- (8) An opening to the outside shall be effectively protected against the entrance of vermin by:
- (a) Self-closing doors;
 - (b) Closed windows;
 - (c) Screening;
 - (d) Controlled air current; or
 - (e) Other effective means.

520 - Floors, Walls, Ceilings

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.

525 - Water Supply Requirements

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (10) The water supply shall be:
- (a) Potable;
 - (b) Protected from contamination;
 - (c) Adequate in quality and volume;
 - (d) Under sufficient pressure to permit unrestricted use; and
 - (e) Obtained from an approved public water supply or a source approved by the local health department.
- (11) Groundwater supplies for a child-care center caring for:
- (a) More than twenty-five (25) children shall meet the specifications of the Cabinet for Environmental and Public Protection Division of Water, established in KRS Chapter 151; or
 - (b) Twenty-five (25) children or less shall secure approval from the:
 - 1. Cabinet for Environmental and Public Protection; or
 - 2. Local health department.

530 - Sewage Disposal

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (12) Sewage shall be properly disposed by a method approved by the:
- (a) Cabinet for Environmental and Public Protection; or
 - (b) Cabinet.

535 - Plumbing Code

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (13) All plumbing shall comply with the State Plumbing Code established in KRS Chapter 318.

540 - Solid Waste

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (14) Solid waste shall be kept in a suitable receptacle in accordance with local, county and state law, as governed by KRS 211.350 to 211.380.

550 - Building Temperature

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (16) The temperature of the inside area of the premises shall be:
- (a) Sixty-five (65) to seventy-five (75) degrees Fahrenheit during the winter; or
 - (b) Sixty-eight (68) to eighty-two (82) degrees Fahrenheit during the summer months.

555 - Indoor Gross Motor Space Requirements

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (22) If a child-care center does not have access to an outdoor play area, an indoor space shall:
- (a) Be used as a play area;
 - (b) Have a minimum of sixty (60) square feet per child, separate from and in addition to the thirty-five (35) square feet minimum pursuant to subsection (6) of this section;
 - (c) Include equipment for gross motor skills;
 - (d) Be well-ventilated;
 - (e) Be heated; and
 - (f) Have a protective surface of at least two (2) inches thick around equipment intended for climbing.

560 - Prohibited Bodies of Water

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (27) Bodies of water that shall not be utilized include:
- (a) Portable wading pools;
 - (b) Natural bodies of water; and
 - (c) Unfiltered, non-disinfected containers.

575 - Minimum Toilet/Urinal Requirements

In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (1) A child-care center shall have a minimum of one (1) toilet and one (1) lavatory for each twenty (20) children. Urinals may be substituted for up to one-half (1/2) of the number of toilets required for a male toilet room.

580 - Toilet Room

In Compliance

Inspection Report

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (2) A toilet room shall:
 - (a) 1. Be provided for each gender; or
 - 2. A plan shall be implemented to use the same toilet room at separate times;
- (b) Have a supply of toilet paper; and
- (c) Be cleaned and sanitized daily.

585 - Sink

In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (3) A sink shall be:
 - (a) Located in or immediately adjacent to toilet rooms;
 - (b) Equipped with hot and cold running water that allows for hand washing;
 - (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
 - (d) Equipped with liquid soap;
 - (e) Equipped with hand-drying blower or single use disposable hand drying material;
 - (f) Equipped with an easily cleanable waste receptacle; and
 - (g) Immediately adjacent to a changing area used for infants and toddlers.

590 - Toilet

In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (4) Each toilet shall:
 - (a) Be kept in clean condition;
 - (b) Be kept in good repair;
 - (c) Be in a lighted room; and
 - (d) Have ventilation to outside air.

Outdoor Play Area

675 - Fence Requirement

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (20) An outdoor play area shall be:
 - (a) Except for an after-school child-care program, located on the premises of a public or state-accredited nonpublic school, fenced for the safety of the children;

680 - 60 Square Feet

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (20) An outdoor play area shall be:
 - (b) A minimum of sixty (60) square feet per child, separate from and in addition to the thirty-five (35) square feet minimum pursuant to subsection (6) of this section;

685 - Playground Clean

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (20) An outdoor play area shall be:
 - (c) Free from:
 - 1. Litter;
 - 2. Glass;
 - 3. Rubbish; and
 - 4. Flammable materials;

690 - Playground Conditions

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (20) An outdoor play area shall be:
 - (d) Safe from foreseeable hazard;
 - (e) Well drained;
 - (f) Well maintained;
 - (g) In good repair; and
 - (h) Visible to staff at all times.

695 - Protective Surface

In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

- (21) A protective surface shall:
 - (a) Be provided for outdoor play equipment used to:
 - 1. Climb;
 - 2. Swing; and
 - 3. Slide; and
 - (b) Have a fall zone equal to the height of the equipment.

Equipment

760 - Indoor/Outdoor Equipment

In Compliance

Inspection Report

922 KAR 2:120. Section 11. Toys and Furnishings.

- (2) Indoor and outdoor equipment shall:
 - (a) Be clean, safe, and in good repair;
 - (b) Meet the physical, developmental needs, and interests of children of different age groups;
 - (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
 - (d) Be designed to guard against entrapment or situations that may cause strangulation.

765 - Toys **In Compliance**

922 KAR 2:120. Section 11. Toys and Furnishings.

- (3) Toys shall be:
 - (a) Used according to the manufacturer's safety specifications;
 - (b) Durable; and
 - (c) Without sharp points or edges.

770 - Children/Staff Seating **In Compliance**

922 KAR 2:120. Section 11. Toys and Furnishings.

- (5) Tables and chairs shall be of suitable size for children.
- (6) Chairs appropriate for staff shall be provided to use when feeding, holding, or playing with a child.

Food Service

920 - Kitchen Requirements **In Compliance**

922 KAR 2:120. Section 8. Kitchen Requirements.

- (1) The kitchen shall:
 - (a) Be clean;
 - (b) Be equipped for proper food:
 - 1. Preservation;
 - 2. Storage;
 - 3. Preparation; and
 - 4. Service;
 - (c) Be adequately ventilated to the outside air; and
 - (d) Except in a Type II child-care center when a meal is not being prepared, not be used for the activity of a child.

925 - Food Service Permit **In Compliance**

922 KAR 2:120. Section 8. Kitchen Requirements.

- (2) A child-care center required to have a food service permit shall be in compliance with 902 KAR 45:005 and this administrative regulation.

945 - Food Contact Items **In Compliance**

922 KAR 2:120. Section 8. Kitchen Requirements.

- (6) Equipment, utensils, and surfaces contacting food shall be:
 - (a) Smooth;
 - (b) Free of breaks, open seams, cracks, and chips;
 - (c) Accessible for cleaning; and
 - (d) Nontoxic.

950 - Kitchen Equipment Clean and Sanitary **In Compliance**

922 KAR 2:120. Section 8. Kitchen Requirements.

- (7) The following shall be clean and sanitary:
 - (a) Eating and drinking utensils;
 - (b) Kitchenware;
 - (c) Food contact surfaces of equipment;
 - (d) Food storage utensils;
 - (e) Food storage containers;
 - (f) Cooking surfaces of equipment; and
 - (g) Nonfood contact surfaces of equipment.

1005 - Food Storage **In Compliance**

922 KAR 2:120. Section 9. Food and Meal Requirements.

- (8) Food shall be stored on:
 - (a) Clean racks;
 - (b) Clean shelves;
 - (c) Other clean surfaces; or
 - (d) If maintained in a sanitary condition, in nonabsorbent labeled containers a minimum of (6) six inches off the floor.

Posted Documentation

1160 - Disaster Course of Action **In Compliance**

922 KAR 2:110. Section 3. Records.

- (1) A child-care center shall maintain:
 - (j) A written plan and diagram outlining the course of action in the event of a natural or manmade disaster, posted in a prominent place;

Signature of
Provider/Representative

Title

Date

