Printed Date: 12/02/2022 KID013A v2.0



**Andy Beshear**GOVERNOR

Provider Name: Robin's Nest Daycare

# CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director Division of Regulated Child Care

Southern Branch 116 Commerce Ave London, KY 40744

Phone: (606) 330-2030 Fax: (606) 330-2056 https://chfs.ky.gov/agencies/os/oig Eric Friedlander SECRETARY

Adam Mather
INSPECTOR GENERAL

# **Inspection Report**

**Provider Information** 

Provider Type: LICENSED TYPE I

Capacity: 98

Director(s): Franklin, Robin Ann

Provider Address: 55 East Wilson Drive, Columbia, KY, 42728

Owner(s): Robin's Nest Daycare Inc.

Date Initiated: 08/21/2019 9:35 AM

Inspection Type: Renewal Application

**Inspection Information** 

Date Concluded: 08/21/2019 11:50 AM

No. of Children Present: 44

Inspection No: 289426

**CLR No:** L357982

### Inspection Report

Background Checks
Supervision
In Compliance
Staffing Requirements
In Compliance
General Administration
In Compliance
Director Requirements
In Compliance
Employee Records
In Compliance
Programming
In Compliance

540 - Premises Requirements

Not In Compliance
Not In Compliance

- 922 KAR 2:120. Section 4. Premises Requirements.
- (1) The premises shall be:
- (a) Suitable for the purpose intended;
- (b) Kept clean and in good repair;

# Findings:

General: Based on observation of the School Age Classroom, the surveyor found that the floors of the classroom contained dirt from the bottom of children's shoes. The dirt was scattered throughout the classroom. Staff reported she was not aware of the last time the floors were cleaned inside the classroom.

**Premises** 



#### Inspection Report

645 - Sink Not In Compliance

# 922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (3) A sink shall be:
- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;
- (d) Equipped with liquid soap;
- (e) Equipped with hand-drying blower or single use disposable hand drying material;
- (f) Equipped with an easily cleanable waste receptacle; and
- (g) Immediately adjacent to a changing area used for infants and toddlers.

#### Findings:

General: Based on observation, the surveyor found the following:

- (1.) The hand washing sink located in the Ones Classroom contained dark stains and debris; therefore, the sink was not kept clean.
- (2.) The hand washing sink located in the School Age Classroom contained stains and debris; therefore, the sink was not kept clean.

Staff reported that they were not aware of the issue and that someone would immediately clean the sinks.

650 - Toilet Not In Compliance

# 922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (4) Each toilet shall:
- (a) Be kept in clean condition;
- (b) Be kept in good repair;
- (c) Be in a lighted room; and

685 - Diaper Changing Area/Surface

(d) Have ventilation to outside air.

#### Findings:

General: Based on observation, the surveyor found the toilet located in the boy's restroom contained dried urine on the toilet seat and feces inside of the toilet bowl. Staff reported they have several children who are potty training that use that restroom.

> **Hygienic Practices Not In Compliance**

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (10) When a child is diapered, the child shall:
- (b) Be placed on a surface that is:
- 1. Clean;
- 2. Padded:
- 3. Free of holes, rips, tears, or other damage;
- 4. Nonabsorbent;
- 5. Easily cleaned; and
- 6. Free of any items not used for diaper changing.

# Findings:

General: Based on observation, the surveyor found the following:

- (1.) Debris was located on top of and underneath the diaper changing pad in the Nursery; therefore, the diaper changing surface was not clean.
- (2.) Debris was located on top of and underneath the diaper changing pad in the Ones Classroom; therefore, the diaper changing surface was not clean.

First Aid/Medication

**Outdoor Play Area** 

**Equipment** 

**Transportation** 

Food Service/Food Program

**Not In Compliance Food Service** 

# 1040 - Kitchen Equipment Clean and Sanitary

# 922 KAR 2:120. Section 8. Kitchen Requirements.

- (7) The following shall be clean and sanitary:
- (a) Eating and drinking utensils;
- (b) Kitchenware:
- (c) Food contact surfaces of equipment;
- (d) Food storage utensils;
- (e) Food storage containers;
- (f) Cooking surfaces of equipment; and
- (g) Nonfood contact surfaces of equipment.

# Findings:

General: Based on observation, the surveyor found the refrigerator located inside the School Age Classroom was dirty with dark colored stains. Staff was not aware of the issue.



Not In Compliance

In Compliance

In Compliance

In Compliance **Not Applicable** 

In Compliance

**Not In Compliance** 

Inspection Report	
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance

