Printed Date: 11/30/2022 KID013A v2.0



Andy BeshearGOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director Division of Regulated Child Care

Southern Branch 116 Commerce Ave London, KY 40744

Phone: (606) 330-2030 Fax: (606) 330-2056 https://chfs.ky.gov/agencies/os/oig Eric Friedlander
SECRETARY

Adam Mather INSPECTOR GENERAL

Inspection Report

Provider Information

Provider Type: LICENSED TYPE I

Capacity: 60

CLR No: 1 354114

Inspection No: 305145

Director(s): Stewart, Patricia Ann

Owner(s): The Lexington Avenue Baptist Church, Inc.

Provider Address: 339 West Lexington Avenue, Danville, KY, 40422

Inspection Type: Renewal Application

Date Initiated: 03/18/2021 10:50 AM

Provider Name: Lexington Avenue Baptist Church

Preschool

Date Concluded: 03/18/2021 2:00 PM

No. of Children Present: 38

Inspection Information

Inspection Report

Background Checks

Supervision

Staffing Requirements

General Administration

Director Requirements

Employee Records

mpioyee Records

Programming

Premises

Not In Compliance

520 - Inaccessible Items 922 KAR 2:120. Section 3. General Requirements.

- (7) The following shall be inaccessible to a child in care:
- (a) Toxic cleaning supplies, poisons, and insecticides;
- (b) Matches, cigarettes, lighters, and flammable liquids; and
- (c) Personal belongings and medications of staff.

Findings:

General: Based on observation during a tour of the center, the surveyor found a can of Microban Sanitizing spray on a shelf in the Green Room and Lysol Wipes on a shelf located in the Purple classroom; therefore, the sanitizing spray and wipes were accessible and within reach of the children.

Hygienic Practices

First Aid/Medication

Outdoor Play Area

Equipment

Transportation

Food Service/Food Program

Food Service

Children's Records

Written Documentation

In Compliance



Inspection Report

Posted Documentation

Animals

In Compliance

In Compliance

Emergency Regulation

Not In Compliance

1265 - Emergency Regulation

Not In Compliance

922 KAR 2:415E. Emergency Regulation.

Due to the current declared public health emergency caused by the Novel Coronavirus Disease (COVID-19), licensed child care centers must operate under Centers for Disease Control and Prevention and public health guidelines, as mandated by 922 KAR 2:415E, to prevent the spread of COVID-19.

Findings:

General: Based on observation, the temperature of the surveyor was not taken before the surveyor was permitted entry into the child-care center. During interview, staff stated that they were aware that they needed to take the surveyor's temperature upon entrance to the center. Staff did take the surveyor's temperature during interview.

This deficiency was cited due to the following E-Reg: 922 KAR 2:410E

Section 7. Screening and Illness Requirements. (1) Children and adults shall be screened for fever and contagious symptoms upon entry into the child care center or family child care home each day and shall not be allowed to enter if displaying a contagious fever or symptom of COVID-19.

