Andy Beshear

GOVERNOR



KID013A v2.0

CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director

Division of Regulated Child Care Eastern Branch 455 Park Place, Suite 120A Lexington, KY 40511 Phone: (859) 246-2301 Fax: (859) 246-2307 https://chfs.ky.gov/agencies/os/oig Eric Friedlander SECRETARY

Adam Mather INSPECTOR GENERAL

	Inspection Report			
Provider Information				
Provider Name: Learning Adventure Child Development Center (The)	Provider Type: LICENSED TYPE I	CLR No: L358416		
Provider Address: 2501 Sandersville Road, Lexington, KY, 40511 Owner(s): The Learning Adventure Child Development Center Llc		Capacity: 66 Director(s): Lewis, Kayla Mae		
Inspection Type: Renewal Application		Inspection No: 246653		
Date Initiated: 10/10/2018 9:11 AM	Date Concluded: 10/10/2018 11:15 AM			
	No. of Children Present: 46			
	Inspection Report			
	Background Checks	In Compliance		
	Supervision	In Compliance		
	Staffing Requirements	In Compliance		
	General Administration	In Complianc		
	Director Requirements	Not In Compliance		
50 - Health, Safety, Comfort		Not In Compliance		
922 KAR 2:090. Section 10. Director Requirements a (1) A director shall: (I) Assure the health, safety, and comfort of each c				
Findings:				
General: Based on Observation, the surveyor observed floor used by children promotes the transfer of debris and germs.	toys inside of a crib. The infant staff stated the crib was designate	ed for a child in care. Storing floor toys inside of cribs		

Employee Records

In Compliance



	Inspection Report	
	Programming	Not In Compliand
20 - Program of Activities Followed		Not In Complian
(c) That provides experience to promote the	planned program: on with each age group and followed; evelopmentally appropriate for each child served; individual child's physical, emotional, social, and intellectual growth and or after-school program that operates part day or less, that offers a variety or after school program that operates part day or less, that offers a variety after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of after school program that operates part day or less, that offers a variety of a school program that operates part day or less, that offers a variety of a school program that operates part day or less, that offers a variety of a school program that operates part day or less, the school part day of	
Findings:	mes;	
-	e planned program of activities posted in the two-year-old and pre-school classrooms were	not dated.
	Premises	
		Not in Complian
922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a ch	nts. nild in care:	Not In Compliand
-	nts. nild in care: ecticides; ble liquids; and	•
922 KAR 2:120. Section 3. General Requireme (7) The following shall be inaccessible to a ch (a) Toxic cleaning supplies, poisons, and inse (b) Matches, cigarettes, lighters, and flamma (c) Personal belongings and medications of s Findings: General: Based on Observation, the surveyor found a	nts. nild in care: ecticides; ble liquids; and	Not In Complian
922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a ch (a) Toxic cleaning supplies, poisons, and inset (b) Matches, cigarettes, lighters, and flamma (c) Personal belongings and medications of s Findings: General: Based on Observation, the surveyor found a cabinet door and observed a box of trash bags and a f	nts. hild in care: ecticides; hele liquids; and hele liquids; and safety latch attached to a cabinet door located in the two-year-old classroom not latching pr	Not In Complian
922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a ch (a) Toxic cleaning supplies, poisons, and inset (b) Matches, cigarettes, lighters, and flamma (c) Personal belongings and medications of s Findings: General: Based on Observation, the surveyor found a cabinet door and observed a box of trash bags and a f	nts. hild in care: acticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the	Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical control of the section of the	nts. hild in care: acticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the	Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be inaccessible to a chemical definition of the following shall be following shall be shall be smooth for the following shall be smooth followin	nts. hild in care: ecticides; hble liquids; and ttaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the ents. h, in good repair, and constructed to be easily cleaned. etiling tiles located in the two-year-old classroom that were stained brown from old water res	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the
 922 KAR 2:120. Section 3. General Requiremee (7) The following shall be inaccessible to a ch (a) Toxic cleaning supplies, poisons, and insec (b) Matches, cigarettes, lighters, and flamma (c) Personal belongings and medications of s Findings: General: Based on Observation, the surveyor found a cabinet door and observed a box of trash bags and a f 30 - Floors, Walls, Ceilings 922 KAR 2:120. Section 4. Premises Requirem (9) Floors, walls, and ceilings shall be smooth Findings: General: Based on Observation, there were eight (8) or 	nts. hild in care: ecticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the ents. h, in good repair, and constructed to be easily cleaned. ceiling tiles located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles.
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be shown and the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown to the facility recently installed a new roof but have not replaced on the following shall be shown to the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the follo	nts. hild in care: ecticides; hble liquids; and ttaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the ents. h, in good repair, and constructed to be easily cleaned. etiling tiles located in the two-year-old classroom that were stained brown from old water res	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles. Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be following shall be inaccessible to a chemical of the following shall be shown and the following shall be shown and the following shall be shown the findings: General: Based on Observation, there were eight (8) chemical based on Observation of the provided of the following shall be shown the following shall be shown the following shall be shown the facility recently installed a new roof but have not replace the following shall based on the provided of the provid	nts. hild in care: ecticides; hble liquids; and ttaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the nents. h, in good repair, and constructed to be easily cleaned. etiling tiles located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac Hygienic Practices	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be shown and the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown to the facility recently installed a new roof but have not replaced on the following shall be shown to the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall be shown the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the facility recently installed a new roof but have not replaced on the following shall be shown the following shall	nts. hild in care: acticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the nents. h, in good repair, and constructed to be easily cleaned. height the located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac Hygienic Practices and Toiletry Requirements.	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles. Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be: (a) Changed when soiled or wet; (b) Stored in a covered container temporarily 	nts. hild in care: acticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the nents. h, in good repair, and constructed to be easily cleaned. height the located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac Hygienic Practices and Toiletry Requirements.	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles. Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shalls, ceilings 922 KAR 2:120. Section 4. Premises Requirem (9) Floors, walls, and ceilings shall be smooth findings: General: Based on Observation, there were eight (8) chacked on Observation, there were eight (8) chacked on Observation, there were eight (8) chacked on Clothing 922 KAR 2:120. Section 10. Toilet, Diapering, at (8) Diapers or clothing shall be: (a) Changed when soiled or wet; (b) Stored in a covered container temporarily (c) Washed or disposed of at least once a day Findings: General: Based on Observation, there was a trash cardinate of the state o	nts. hild in care: acticides; hble liquids; and htaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the nents. h, in good repair, and constructed to be easily cleaned. height the located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac Hygienic Practices and Toiletry Requirements.	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles. Not In Complian Not In Complian
 922 KAR 2:120. Section 3. General Requirement (7) The following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shall be inaccessible to a chemical of the following shalls, ceilings 922 KAR 2:120. Section 4. Premises Requirem (9) Floors, walls, and ceilings shall be smooth findings: General: Based on Observation, there were eight (8) chacked on Observation, there were eight (8) chacked on Observation, there were eight (8) chacked on Clothing 922 KAR 2:120. Section 10. Toilet, Diapering, at (8) Diapers or clothing shall be: (a) Changed when soiled or wet; (b) Stored in a covered container temporarily (c) Washed or disposed of at least once a day Findings: General: Based on Observation, there was a trash cardinate of the state o	nts. hild in care: ecticides; hible liquids; and ttaff. safety latch attached to a cabinet door located in the two-year-old classroom not latching pi few loose grocery bags. This cabinet was located underneath the hand-washing sink in the ents. h, in good repair, and constructed to be easily cleaned. teelling tiles located in the two-year-old classroom that were stained brown from old water re- ced some of the water stained ceiling tiles. The owner stated she is in the process of replac Hygienic Practices and Toiletry Requirements. r; and y.	Not In Complian roperly. The surveyor opened the classroom. Not In Complian sidue. The surveyor found the ing the tiles. Not In Complian Not In Complian



	Inspection Report	
	Equipment	Not In Compliance
20 - Indoor/Outdoor Equipment		Not In Complianc
(c) Be free from sharp points or corners, s poisonous material, and flaking or chalking	ls, and interests of children of different age groups; plinters, protruding nails or bolts, loose or rusty parts, hazardous small part	s, lead-based paint,
Findings:		
General: Based on Observation, there was a plasti	c child sized picnic table located on the playground that was cracked on top.	
	Transportation	Not Applicat
	Food Service/Food Program	In Complian
	Food Service	Not In Complian
50 - Bottles		Not In Complian
 922 KAR 2:120. Section 8. Kitchen Requirer (9) Bottles shall be: (a) Individually labeled; (b) Promptly refrigerated; (c) Covered while not in use; and (d) Consumed within one (1) hour of being 		
Findings:		
General: Based on Observation, there were three (3) uncovered bottles in the refrigerator located in the infant classroom.	
	Children's Records	In Complian
	Written Documentation	In Complian
	Posted Documentation	In Complian
	Animals	In Complian

