Printed Date: 12/01/2022 KID013A v2.0



**Andy Beshear GOVERNOR** 

# CABINET FOR HEALTH AND FAMILY SERVICES OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director **Division of Regulated Child Care** 

Eastern Branch 455 Park Place, Suite 120A Lexington, KY 40511 Phone: (859) 246-2301 Fax: (859) 246-2307

https://chfs.ky.gov/agencies/os/oig

**Eric Friedlander SECRETARY** 

**Adam Mather INSPECTOR GENERAL** 

# Inspection Report

**Provider Information** 

Provider Type: LICENSED TYPE I

Capacity: 93

Director(s): Burdette, Ciara

Inspection No: 293732

**CLR No:** 1 354221

Owner(s): Tots' Landing Early Childhood Center, Inc

Provider Address: 3501 Beaver Place Road, Lexington, KY, 40503

**Inspection Information** 

Inspection Type: Renewal Application Date Initiated: 07/02/2020 9:12 AM

Provider Name: Tots Landing Learning Center

Date Concluded: 07/02/2020 11:33 AM

No. of Children Present: 47

**Inspection Report** 

**Background Checks** 

**Supervision** 

**Staffing Requirements** 

**General Administration** 

**Director Requirements** 

**Employee Records** 

**Programming** 

**Premises** 

**Not In Compliance Not In Compliance** 

In Compliance

# 540 - Premises Requirements

922 KAR 2:120. Section 4. Premises Requirements.

- (1) The premises shall be:
- (a) Suitable for the purpose intended;
- (b) Kept clean and in good repair;

## Findings:

General: Based on observation, the child-care facility failed to meet this regulation: The surveyor observed standing water in the hand-washing sink located in the Starfish classroom. It appeared that toilet paper was stuck in the drain.

#### 625 - Infant/Toddler Indoor Space

**Not In Compliance** 

- 922 KAR 2:120. Section 5. Infant and Toddler Play Requirements. (1) Inside areas for infants and toddlers under twenty-four (24) months of age shall:
- (a) Be separate from an area used by an older child;
- (b) Not be an exit or entrance; and
- (c) Have adequate crawling space for an infant or toddler away from general traffic patterns of the center.

# Findings:

General: Based on observation and interview, the child-care facility failed to meet this regulation.

The surveyor entered the Tugboat classroom and observed four toddlers and one staff. Interview found the children present were ages 1 ½ -to-2 years old. The surveyor noted that one has to walk through the classroom to gain access to the kitchen and laundry room, creating a traffic pattern. During the observation, the cook walked through the classroom and into the kitchen



## **Inspection Report**

650 - Toilet Not In Compliance

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.

- (4) Each toilet shall:
- (a) Be kept in clean condition;
- (b) Be kept in good repair;
- (c) Be in a lighted room; and
- (d) Have ventilation to outside air.

#### Findings:

General: Based on observation, the child-care center failed to meet this regulation. The surveyor observed a build-up of grime underneath the tolet lid and inside the toilet bowl in the restroom located in the Starfish classroom.

Hygienic Practices First Aid/Medication Outdoor Play Area

Equipment Not In Compliance

In Compliance

In Compliance

In Compliance

**Not In Compliance** 

922 KAR 2:120. Section 11. Toys and Furnishings.

- (1) All toys and furniture contacted by a child shall be:
- (a) Kept clean and in good repair; and
- (b) Free of peeling, flaking, or chalking paint.

## Findings:

815 - Toys/Furniture

General: Based on observation, the child-care facility failed to meet this regulation.

- 1. The surveyor observed a section of peeling paint on the back of a red shelving unit located in the Dolphin classroom.
- 2.The surveyor observed a section of peeling paint on the back of a blue shelving unit located in the Starfish classroom.

Transportation Not Applicable
Food Service/Food Program In Compliance
Food Service In Compliance
Children's Records In Compliance
Written Documentation In Compliance
Posted Documentation In Compliance
Animals Not Applicable