



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Little Scholars Child Care	Provider Information	CLR No: L358914
Provider Address: 701 Brownslock Road, Bowling Green, KY, 42102	Provider Type: LICENSED TYPE I	Capacity: 100
Owner(s): Community Action Of Southern Kentucky, Incorporated		Director(s): Brown, Carla Yvonne

Inspection Type: Investigation	Inspection Information	Inspection No: 241901
Date Initiated: 09/07/2017 1:50 PM	Date Concluded: 09/07/2017 2:20 PM	
	No. of Children Present: 42	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Employee Records	Not In Compliance

340 - Training Not In Compliance

922 KAR 2:110. Section 5. Staff Requirements.
 (14) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:
 (a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;
 (b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and one-half (1 ½) hours of pediatric abusive head trauma training; and
 (c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including one and one-half (1 ½) hours of pediatric abusive head trauma training completed once every five (5) years.

Findings:

General: Based on Review of Documentation, a caregiver hired on 4/16/98, lacked five (5) hours of training.

Outdoor Play Area Not In Compliance

690 - Playground Conditions Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.
 (20) An outdoor play area shall be:
 (d) Safe from foreseeable hazard;
 (e) Well drained;
 (f) Well maintained;
 (g) In good repair; and
 (h) Visible to staff at all times.

Findings:

General: Based on Observation, a gate had a cable lock wrapped around it; however, there was an eight (8) inch opening where a child could escape near the rock climbing wall of the three and five-year-olds' outdoor play area.

Inspection Report

Written Documentation

Not In Compliance

1105 - Professional Development

Not In Compliance

922 KAR 2:110. Section 3. Records.

(1) A child-care center shall maintain:

(f) A written annual plan for child-care staff professional development;

Findings:

General: Based on Review of Documentation, a caregiver hired on 4/16/98, had a professional development plan on file dated 8/31/10.

Signature of Provider/Representative

Title

Date