



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: St. Romuald Preschool/Day Care	Provider Information	CLR No: L354560
Provider Address: 408 North Hwy 259, Hardinsburg, KY, 40143	Provider Type: LICENSED TYPE I	Capacity: 54
Owner(s): St. Romuald's Parish Of Hardinsburg, Kentucky		Director(s): Horsley, Debbie

Inspection Type: Renewal Application	Inspection Information	Inspection No: 319634
Date Initiated: 12/02/2021 10:15 AM	Date Concluded: 12/02/2021 12:10 PM	
	No. of Children Present: 30	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	Not In Compliance
435 - Training	Not In Compliance
<p>922 KAR 2:090. Section 11. Staff Requirements.</p> <p>(16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:</p> <p>(a) Six (6) hours of cabinet-approved orientation completed within the first three (3) months of employment in a child-care program;</p> <p>(b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment in a child care program, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and</p> <p>(c) Fifteen (15) hours of cabinet-approved early care and education training completed between July 1 and the following June 30 of each subsequent year of employment in a child care program, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.</p> <p>(17) A staff person's compliance with training requirements of this section shall be verified through the cabinet-designated database maintained pursuant to 922 KAR 2:240.</p>	
Findings:	
General: Based on review of documentation, a caregiver hired on 8/1/21, did not complete six (6) hours of cabinet approved orientation training.	
Programming	In Compliance

Inspection Report

Premises

Not In Compliance

690 - Sink

Not In Compliance

922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A sink shall be:

- (a) Located in or immediately adjacent to toilet rooms;**
- (b) Equipped with hot and cold running water that allows for hand washing;**
- (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit;**
- (d) Equipped with liquid soap;**
- (e) Equipped with hand-drying blower or single use disposable hand drying material;**
- (f) Equipped with an easily cleanable waste receptacle; and**
- (g) Immediately adjacent to a changing area used for infants and toddlers.**

Findings:

General: Based on observation, the hot water temperature registered seventy-two (72) degrees Fahrenheit at a sink in the preschool room.

Hygienic Practices

In Compliance

First Aid/Medication

In Compliance

Outdoor Play Area

In Compliance

Equipment

In Compliance

Transportation

Not Applicable

Kitchen Requirements

In Compliance

Food Service

In Compliance

Meal Planning/Center Provides Meals

In Compliance

Meal Planning/Center Does Not Provide Meals

Not Applicable

Children's Records

In Compliance

Written Documentation

Not In Compliance

1280 - Professional Development

Not In Compliance

922 KAR 2:090. Section 9. Records.

(1) A child-care center shall maintain:

- (f) A written annual plan for child-care staff professional development;**

Findings:

General: Based on review of documentation, a caregiver hired on 8/1/19, had a written annual professional development plan on file that was dated 2/6/20.

1305 - Fire Drills

Not In Compliance

922 KAR 2:120. Section 3. General Requirements.

(12) A fire drill shall be:

- (a) Conducted during hours of operation at least monthly; and**
- (b) Documented.**

(13) An earthquake drill, shelter-in-place or lockdown drill, and tornado drill shall be:

- (a) Conducted during hours of operation at least quarterly; and**
- (b) Documented.**

Findings:

General: Based on review of documentation, the center did not conduct a lockdown drill for the third quarter of 2021.

Posted Documentation

In Compliance

Animals

Not Applicable

Signature of Provider/Representative

Title

Date