



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203

Adam Mather
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Meade County Head Start	Provider Information	CLR No: L354775
Provider Address: 6215 Brandenburg Road, Brandenburg, KY, 40108	Provider Type: LICENSED TYPE I	Capacity: 37
Owner(s): Central Kentucky Community Action Council, Incorporated		Director(s): Smith, Pamela Anne

Inspection Type: Investigation	Inspection Information	Inspection No: 291020
Date Initiated: 09/03/2019 12:30 PM	Date Concluded: 09/03/2019 1:15 PM	
	No. of Children Present: 25	

Inspection Report	
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance
922 KAR 2:090. Section 10. Director Requirements and Responsibilities.	
(1) A director shall:	
(l) Assure the health, safety, and comfort of each child;	
Findings:	
General: Based on interviews, the child care center director failed to assure compliance with regulatory requirements. Interview with staff failed to reveal corrective action was taken after a toddler was stung multiple times while in a playhouse on the playground, to prevent the occurrence from happening again. The playhouse remained in the playarea resulting in the same child being stung multiple times ten (10) days later. Thus, the director failed to assure the health, safety and comfort of the child.	
Premises	Not In Compliance
570 - Pest Control	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements.	
(7) Measures shall be utilized to control the presence of:	
(a) Rodents;	
(b) Flies;	
(c) Roaches; and	
(d) Other vermin.	
Findings:	
General: Based on interview, the child care center failed to maintain the premises in accordance with regulatory requirements. Interviews revealed a toddler was stung on two (2) separate occasions by wasps while playing in a playhouse on the playground. Interviews failed to reveal that preventative action was taken after the first occurrence, resulting in the toddler being stung multiple times, ten (10) days later.	

750 - Playground Conditions

Not In Compliance

922 KAR 2:120. Section 4. Premises Requirements.

(20) An outdoor play area shall be:

- (d) Safe from foreseeable hazard;
- (e) Well drained;
- (f) Well maintained;
- (g) In good repair; and
- (h) Visible to staff at all times.

Findings:

General: Based on interviews, the child care center failed to maintain the outdoor play area in accordance with regulatory requirements. Interviews with staff revealed that a playhouse containing wasps/bees that had stung a toddler multiple times on 08/06/19 remained in the play area, thereby failing to remove the source of the hazard, and allowing the toddler to be stung multiple times again on 08/15/19.

Signature of Provider/Representative

Title

Date