



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: SonLight Preschool	Provider Information	CLR No: L354961
Provider Address: 116 Commonwealth Avenue, Erlanger, KY, 41018	Provider Type: LICENSED TYPE I	Capacity: 102
Owner(s): Erlanger Baptist Church, Inc.		Director(s): Hale, Dara

Inspection Type: Renewal Application	Inspection Information	Inspection No: 319485
Date Initiated: 12/10/2021 9:40 AM	Date Concluded: 12/10/2021 12:15 PM	
	No. of Children Present: 53	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	Not In Compliance
225 - Licensee Responsibility	Not In Compliance
<p>922 KAR 2:090. Section 8. General. (1) A licensee shall: (a) Be responsible for the operation of the child-care center pursuant to this administrative regulation, 922 KAR 2:120, and 922 KAR 2:280; and (b) Protect and assure the health, safety, and comfort of each child.</p>	
Findings:	
General: Based on observation, this regulatory requirement was not met. The following was found:	
1. The bathroom inside Room 120 (three-to-five-year-old's) contained two unprotected electrical outlets on the wall near the paper towel dispenser. All electrical outlets shall be protected for safety.	
2. The bathroom inside Room 119 (two-to-three-year-old's) contained an uncovered metal electrical box with a red wire exposed inside the box. The metal box was located on the wall near the light.	
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	In Compliance
Hygienic Practices	In Compliance
First Aid/Medication	In Compliance
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	Not Applicable

Inspection Report

Kitchen Requirements

Not In Compliance

1065 - Bottles

Not In Compliance

922 KAR 2:120. Section 8. Kitchen Requirements.

(9) Bottles shall be:

- (a) Individually labeled;**
- (b) Promptly refrigerated;**
- (c) Covered while not in use; and**
- (d) Consumed within one (1) hour of being heated or removed from the refrigerator.**

Findings:

General: Based on observation, this regulatory requirement was not met. Room 114 contained an uncovered bottle inside the refrigerator.

Food Service

In Compliance

Meal Planning/Center Provides Meals

In Compliance

Meal Planning/Center Does Not Provide Meals

In Compliance

Children's Records

In Compliance

Written Documentation

In Compliance

Posted Documentation

In Compliance

Animals

In Compliance

Signature of Provider/Representative

Title

Date