

Department of Public Health and Human Services

2401 Colonial Drive, PO Box 202953 ♦ Helena, MT 59601 ♦ (406) 444-2012 ♦ Fax: (406) 444-1742 www.dphhs.mt.gov

SURVEY TOOL

Facility

Name: AWARE First Steps @ UMC Provider ID: PV108278

Address: 121 S Willson Ave, Bozeman, MT 59715

Type: Group Child Care Service Area: Bozeman Assigned Worker: Kirsten Geiger

Director: Davey Lynne Haglund Phone: Email: dhaglund@aware-inc.org

Contact: Davey Phone: 920-0627 Email: dhaqlund@aware-inc.org

Inspection

Type: Pre-inspection Date: 03/18/2019 Time In: 3:15 PM Time Out: 4:10 PM

Inspector: Kirsten Geiger Phone: 406-522-2271

Children/Caregiver Observations

Time: # children: # under 2: # caregivers:

Time: # children: # under 2: # caregivers:

Staff Ratios

2. Overlap Yes

Building/Fire Requirements

3. Inside Facility No

37.95.

708.3. Telephone numbers of the parents, the hospital, police department, fire department, ambulance, and the emergency Montana poison control center (1-800-222-1222) must be posted by each telephone.

Deficiency

The intent of this rule was not met:

Based on observation, CCL found that phone number's for hospital, police, fire department, and poison control were not posted in the facility.

The Plan of Correction was accepted on March 21, 2019.

4. Fire Safety No 37.95.

03/18/2019 1 of 2

4. Fire Safety (continued)

No

706.2. A fire extinguisher must be easily accessible on each floor level. The minimum level of extinguisher classification is 2A10BC. Fire extinguishers shall be mounted near outside exit doors.

Deficiency

The intent of this rule was not met:

Based on observation, CCL found that the fire extinguisher was not mounted near an outside exit door.

5. Equipment	Yes
6. Exiting	Yes
Outdoor Tour	
7. Play Area	Not Observed
Health Issues	
14. Health Prevention	Yes
Medication	
16. Storage	Yes
Infants/Toddlers	
17. Diapering	Yes
20. Sleeping	Yes
Written Records	
28. Parent Information	Yes
29. Facility Records	Yes
31. Medication File	Yes
33. First Aid Requirements	Yes

03/18/2019 2 of 2