

## Department of Public Health and Human Services

## FAMILY and GROUP DAY CARE FACILITIES (includes infant regulations) SURVEY TOOL

## INSPECTION INFORMATION Facility: Emma Smith/Hands on Learning Home DC Type: Renewal Inspection Date: 04/26/2018 Time: 01:00 PM Director: Emma Evelyn Smith Contact: \_\_\_\_\_\_ Licensing Worker: Anna Haire Phone #: \_\_\_\_\_\_(406) 444-1954

Time:	01:00 PM	# children:	4 # under 2:	# caregivers:	1
Time:		# children:	# under 2:	# caregivers:	
Time:		# children:			

STAFF RATIOS					
Yes	1. License				
Yes	2. Overlap				
BUILDING/FIRE REQUIREMENTS					
Yes	3. Inside Facility				
No	4. Fire Safety				
	<ul> <li>37.95.706(2)</li> <li>(2) A fire extinguisher must be easily accessible on each floor level. The minimum level of extinguisher classification is 2A10BC. Fire extinguishers shall be mounted near outside exit doors.</li> <li>The intent of this rule was not met:</li> </ul>				
	Based on observation and interview, CCL found that the fire extinguisher did not meet the required minimum size of 2A10BC and was not mounted near an exit door.				
	The Plan of Correction was accepted on 06-09-18				
Yes	5. Equipment				
Yes	6. Exiting				
OUTDOOR TOUR					
Yes	7. Play Area				
Yes	8. Swimming				
	PROGRAM ISSUES				
Yes	9. Supervision				
Yes	10. Provider Responsibilities				
Yes	11. Activities				
Yes	12. Night Care				
	HEALTH ISSUES				
Yes	13. Illness Exclusion				
Yes	14. Health Prevention				
	MEDICATION				
Yes	15. Administration				
Yes	16. Storage				
	INFANTS/TODDLERS				
No	17. Diapering				
	<ul><li>37.95.1001(3)</li><li>(3) Diaper-changing surfaces shall be cleaned after each use by washing or by changing a pad or disposable sheeting and sanitized or covered for reuse.</li><li>The intent of this rule was not met:</li></ul>				

Facility: Emma Smith/Hands on Learning Home DC

Date: <u>04/26/2018</u>

Revised 05-2006 Page 3 of 4

Revised 05-2006 Page 4 of 4

Yes

Yes

Yes

34. License-Certificate

35. Facility Requirements

36. Registration/License Process