

Department of Public Health and Human Services

2401 Colonial Drive, PO Box 202953 ♦ Helena, MT 59601 ♦ (406) 444-2012 ♦ Fax: (406) 444-1742 www.dphhs.mt.gov

SURVEY TOOL

Facility

Name: Michelle Brown Repeta Provider ID: PV78610

Address: 1512 Saint Johns Ave., Billings, MT 59102

Type: Group Child Care

Service Area: Billings

Assigned Worker: Scott Soltis

Director: Michelle Brown Repeta

Phone: (406) 969-1977

Email: dragonladyx8@charter.net

Phone: (406) 969-1977

Email: dragonladyx8@charter.net

Inspection

Type: KIS Date: 08/21/2018 Time In: 12:35 PM Time Out: 1:55 PM

Inspector: Scott Soltis Phone: 406-444-3074

Children/Caregiver Observations

Time: 12:35 PM # children: 15 # under 2: 1 # caregivers: 3

Time: # children: # under 2: # caregivers:
Time: # children: # under 2: # caregivers:

Caregivers

Michelle; Nick; Jade

Staff Changes

Notes

Logan was also in the building but was sick and not interacting with the children.

Deficiency Notice (Additional Text)

A prior inspection noted that the family birds were allowed to move freely around the facility and due to a concern about animal waste being in areas occupied by the children it was suggested that the birds remain caged during times when children are present. This same concern was noted during the inspection on 08/21/18.

Childrens paperwork should be reviewed annually by the facility to ensure that records are complete and up to date.

08/21/2018 1 of 3

Michelle Brown Repeta PV78610

Staff Ratios

1. License No

37.95.106.6.: A day care facility may not provide care for more than the number of children permitted at any one time by its day care license or registration certificate.

Deficiency

The intent of this rule was not met:

Based on daily attendance records, CCL found that there were fifteen children in care. Facility is currently approved for twelve children; therefore, only twelve children should have been in care. At the time of the visit overlap coverage was not in effect.

Plan of correction accepted 09/25/2018.

2. Overlap Yes

Building/Fire Requirements

3. Inside Facility

37.95.127.4.: Bathtubs, buckets and other water receptacles shall be emptied immediately after use.

Deficiency

The intent of this rule was not met:

Based on observation and interview, CCL found that a bucket of cleaning solution was not immediately emptied and was accessible to children.

Plan of correction accepted 09/25/2018.

37.95.705.10.: Protective receptacle covers must be installed on electrical outlets in all areas occupied by children under 5 years of age.

Deficiency

The intent of this rule was not met:

Based on observation, CCL found that outlets were not covered in the play room.

Plan of correction accepted 09/25/2018.

4. Fire Safety	Yes
5. Equipment	Yes
6. Exiting	Yes

Outdoor Tour

7. Play Area No

37.95.121.5.: The indoor and outdoor play areas must be clean, reasonably neat, and free from accumulation of dirt, rubbish, or other health hazards.

08/21/2018 2 of 3

Michelle Brown Repeta PV78610

7. Play Area (continued)

No

Deficiency

The intent of this rule was not met:

Based on observation and interview, CCL found that the outdoor area was not free from accumulation of rubbish.

Plan of correction accepted 09/25/2018.

Health Issues

14. Health Prevention Yes

Medication

16. Storage Yes

Infants/Toddlers

17. Diapering Yes

20. Sleeping Yes

Written Records

28. Parent Information Yes

29. Facility Records Yes

30. Child File Review No

37.95.141.5.: Prior to a child being enrolled or entered into a day care facility, the following information must be on file:

Deficiency

The intent of this rule was not met:

Based on record review, CCL found that the following information was not on file: []. See enclosed copy of children's record review.

32. Caregiver File Review

33. First Aid Requirements

08/21/2018 3 of 3