



Facility

Name: *Adelante Learning Center* **License Number:** *157381*
Address: *406 W. Griggs, Las Cruces, NM 88001*
Phone: *5755714069* **Fax:** **E-mail:** *bdbencomolc@gmail.com*

License Information

Type: *2 Star Child Care Center* **Status:** *Licensed* **Issue Date:** *06/05/2017* **Expiration Date:** *06/04/2018*

Capacity

Over Age 2: *29* **Under Age 2:** *0* **Night Care:** *0* **Playground:** *29*
Square Footage: *0*

Census

Over 2: *21* **Under 2:** *0*

Classrooms

Number of Classrooms: *3*

Days and Hours of Operation

Monday <i>7:30 AM - 5:30 PM</i>	Tuesday <i>7:30 AM - 5:30 PM</i>	Wednesday <i>7:30 AM - 5:30 PM</i>	Thursday <i>7:30 AM - 5:30 PM</i>	Friday <i>7:30 AM - 5:30 PM</i>
Saturday <i>Closed</i>	Sunday <i>Closed</i>			

Inspection

Date: *04/05/2018* **Time In:** *11:22 AM* **Time Out:** *12:15 PM* **Purpose:** *Annual*

Licensure

- 8.16.2.11 A Types of Licenses *Compliance*
- 8.16.2.11 B Renewal of License *Compliance*
- 8.16.2.11 D Non-transferable Restrictions of License *Compliance*
- 8.16.2.12 A, K, M Licensing Actions and Administrative Appeals *Compliance*
- 8.16.2.17 E, F Surveys for Child Care Facilities *Compliance*
- 8.16.2.18 D Complaints *Compliance*
- 8.16.2.21 A Licensing Requirements *Compliance*
- 8.16.2.21 B Capacity of Centers *Compliance*
- 8.16.2.21 C Incident Reporting Requirements *Compliance*

Administrative Requirements

8.16.2.22 A Administrative Records

Non-compliance

The center failed to display in a prominent place that is readily visible to parents, staff and visitors the dated weekly menus for meals and snacks. The center failed to post the April snack menu.

Corrective Action Plan

The center will post the missing item. CORRECTED ON SITE.

Date to be Completed: 04/05/2018

8.16.2.22 B Mission, Philosophy and Curriculum Statement

Not Inspected

8.16.2.22 C Policy and Procedures

Not Inspected

8.16.2.22 D Family Handbook

Not Inspected

8.16.2.22 E Children's Records

Compliance

8.16.2.22 F Personnel Records

Compliance

8.16.2.22 G Personnel Handbook

Not Inspected

Personnel & Staffing

8.16.2.23 A Personnel and Staffing Requirements

Compliance

8.16.2.23 B Staff Qualifications and Training

Compliance

8.16.2.23 C Staff/Child Ratios and Group Sizes

Compliance

Services & Care of Children

8.16.2.24 A Guidance

Compliance

8.16.2.24 B Naps or Rest Period

Compliance

8.16.2.24 C Additional Requirements for Infants and Toddlers

N/A

8.16.2.24 D Diapering and Toileting

Compliance

8.16.2.24 E Additional Requirements for Children with Special Needs

Not Inspected

8.16.2.24 F Additional Requirements for Night Care

N/A

8.16.2.24 G Physical Environment

Compliance

8.16.2.24 H Social-Emotional Responsive Environment

Compliance

8.16.2.24 I Equipment and Program

Compliance

8.16.2.24 J Outdoor Play Areas

Compliance

8.16.2.24 K Swimming, Wading and Water

Not Inspected

8.16.2.24 L Field Trips

Not Inspected

Food Service

8.16.2.25 B Meals and Snacks

Compliance

8.16.2.25 C Menus

Compliance

Food Service (continued)

8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance

Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Not Inspected
8.16.2.27 A-D Illness Requirements for Centers	Not Inspected
8.16.2.28 A-H Transportation Requirements for Centers	N/A

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping	Non-compliance
--------------------------	-----------------------

The premises in the classrooms and the back bathroom by the playground are not safe in that there is one Clorox wipes tub in each classroom and there is a Lysol can in the bathroom in the unlocked cabinets that is accessible to the children.

Corrective Action Plan

The safety violation will be corrected and a system for routine safety inspection developed. CORRECTED ON SITE.

Date to be Completed: 04/05/2018

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Non-compliance

Electrical outlets within reach of children in the classroom are not safety outlets and they do not have protective covers. One electrical outlet on the power strip that charges the tablets does not have a protective cover.

Corrective Action Plan

Protective covers will be added. CORRECTED ON SITE.

Date to be Completed: 04/05/2018

8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	Compliance

Additional Comments *(continued)*

8.16.2.29 J Pets

N/A

Additional Comments

None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Steven Wells*



Facility Representative: *Barbara Bencomo*

