

Center Name: All Star Children's Center		Address: 6513 Lomas Blvd NE Albuquerque, NM 87110			Phone: (505)261-7444		
License Number: 136486	Issue Date: 02/1/2017	Expiration Date: 01/25/2018	Type: 2 Star Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	30	Under Age 2:	10	Night Care:	0	Playground:	39
				Over 2:	11	Under 2:	3
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 AM	07:00 AM	07:00 AM	07:00 AM	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
# of Classrooms: 2	Purpose: Semi-Annual		Date: 06/22/2017		Time: 10:30 AM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

Center Name: All Star Children's Center	License Number: 136486	Date: 06/22/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD <u>Deficiencies</u> A child with a disability or medical condition that requires an unusual sleeping arrangement does not have written authorization from the parent or physician justifying the sleeping arrangement. Child is sleeping swaddled and in a bouncy chair. Regulation: 8.16.2.24B(7) <u>Corrective Action Plan</u> The parent will be notified that written authorization is required. Date to be Completed: 07/22/2017		Non-compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		N/A
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Not Inspected
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Non-compliance

Center Name: All Star Children's Center	License Number: 136486	Date: 06/22/2017
Buildings, Grounds & Safety		
<p>Deficiencies The Premises are not in good repair as evidenced by the lobby window is broken. Regulation: 8.16.2.29A(1)</p> <p>Corrective Action Plan Repairs will be completed and a system for routine inspection of the center and premises will be established. Date to be Completed: 07/22/2017</p>		
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Compliance
8.16.2.29 D WATER AND WASTE		Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.29 F EXITS AND WINDOWS		Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES		Compliance
<p>8.16.2.29 H SAFETY COMPLIANCE</p> <p>Deficiencies The center failed to conduct an emergency preparedness practice drills for at least once a quarter. Regulation: 8.16.2.29H(1)</p> <p>Corrective Action Plan A center will conduct emergency preparedness practice drills at least quarterly beginning January of each calendar year. Date to be Completed: 07/22/2017</p>		Non-compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Not Inspected
8.16.2.29 J PETS		N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

LM 12:00

06/22/2017

R Massoth

06/22/2017

Surveyor: Lucille Mizner

Date

Facility Rep: Rick Massoth

Date