Facility

Name: Aurora Zollars License Number: 53551

Address: 2507 Mimosa, Roswell, NM 88201

Phone: 5756276927 Fax: E-mail:

License Information

Type: 2 Star Family Child Status: Licensed Issue Date: 08/29/2017 **Expiration Date:**

Care Home 08/28/2018

Capacity

Over Age 2:4 Under Age 2: 2 Night Care: 0 Playground: 0

Square Footage: 210

Census

Over 2:4 Under 2:0

Classrooms

Number of Classrooms: 1

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

7:00 AM - 7:00 PM 7:00 AM - 7:00 PM

Saturday Sunday Closed Closed

Inspection

Date: 07/11/2018 Time In: 2:45 PM Time Out: 4:00 PM Purpose: Annual

Licensure

8.16.2.31 A Licensing Requirements Compliance

8.16.2.31 B Capacity of a Home Compliance

8.16.2.31 C Incident Reporting Requirements Compliance

Administrative Requirements

8.16.2.32 A Administrative Records Compliance

8.16.2.32 B Mission, Philosophy and Curriculum Statement Compliance

8.16.2.32 C Parent Handbook Compliance

07/11/2018 https://cyfd.org/ 1 of 4 Aurora Zollars 53551

Administrative Requirements (continued)

8.16.2.32 D Children's Records

Non-compliance

There was no record of each child's arrival and departure time and dates of attendance initialed by a parent, guardian, or person authorized to pick up the child. Of 4 children present 2 were signed in. See Children's Records 8.16.2.32 form for the child(ren) with missing information.

Corrective Action Plan

The home will maintain a record of the time any child arrived and left the home and dates of attendance initialed by a parent, guardian, or person authorized to pick up the child.

Regulation: 8.16.2.32.D.1.i.

Date to be Completed: 07/11/2018

8.16.2.32 E Personnel Records

Compliance

8.16.2.32 F Personnel Handbook

Compliance

Personnel & Staffing

8.16.2.33 A Personnel and Staffing Requirements

Compliance

8.16.2.33 B Staff Qualifications and Training

Compliance

Services & Care of Children

8.16.2.34 A Guidance	Compliance

8.16.2.34 B Naps or Rest Period Compliance

8.16.2.34 C Additional Requirements for Infants and Toddlers

Compliance

8.16.2.34 D Diapering and Toileting Compliance

8.16.2.34 E Additional Requirements for Children with Special Needs Compliance

8.16.2.34 F Night Care *N/A*

8.16.2.34 G Physical Environment Compliance

8.16.2.34 H Social-Emotional Responsive Environment Compliance

8.16.2.34 | Equipment and Program Compliance

8.16.2.34 J Outdoor Play Compliance

8.16.2.34 K Swimming, Wadding and Water Compliance

8.16.2.34 L Field Trips Compliance

Food Service

8.16.2.35 B Meals and Snacks Compliance

Aurora Zollars 53551

Food Service (continued)

8.16.2.35 C Menus Compliance

8.16.2.35 D Kitchens Non-compliance

A food in the refrigerator, leftover is not properly stored; the item is not labeled and dated. Provider corrected on site.

Corrective Action Plan

Proper food storage practices will be implemented.

Regulation: 8.16.2.35.D.4.

Date to be Completed: 07/11/2018

8.16.2.35 E Meal Times Compliance

Health & Safety Requirements

8.16.2.36 A Hygiene	Сотриалсе
8.16.2.36 B First Aid Requirements	Compliance

8.16.2.36 C Medication Compliance

8.16.2.36 D Illness and Notifiable Diseases Compliance

8.16.2.37 A-G Transportation Requirements for Homes Compliance

Buildings, Grounds & Safety

8.16.2.38 A Housekeeping Compliance

8.16.2.38 B Pest Control Not Inspected

8.16.2.38 C Mechanical Systems Compliance

8.16.2.38 D Lighting, Lighting Fixtures and Electrical Compliance

8.16.2.38 E Exits Compliance

8.16.2.38 F Toilet and Bathing Facilities: Compliance

8.16.2.38 G Safety Compliance Non-compliance

The home failed to conduct a fire drill for the month(s) of June.

Corrective Action Plan

A monthly fire drill will be held and recorded.

Regulation: 8.16.2.38.G.3. Date to be Completed: 07/11/2018

8.16.2.38 H Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances

Compliance

Aurora Zollars 53551

Buildings, Grounds & Safety (continued)

8.16.2.38 I Pets Compliance

Additional Comments

Fire Extinguisher tag expires July 2018.

Provider and household member background clearances expire in February 2019.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Nicholas Conde

Facility Representative: Aurora Zollars