

Center Name: Aurora Zollars			Address: 2507 Mimosa Roswell, NM 88201					Phone: (575)627-69	Phone: (575)627-6927	
License Number: Issue Date: Expiration I		Date: Type: Statu			Status:	itus:				
53551	08/29/2017	2017 08/28/2018		2 Star Family Child Care Home			Licensed			
Capacity				•		Ce	nsus			
Over Age 2: 4	Under Age 2:	2 Night	Care:	are: 0 Playground: 0 Over			er 2:	1 Under 2: 1		
Days and Hours of	Operation									
	<u>Monday</u>	<u>Tuesda</u>	y W	/ednesday	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	Saturday	<u>Sunday</u>	
Opening Times	: 07:00 AM	07:00 A	M (07:00 AM	07:00 AM	07:0	0 AM	Closed	Closed	
Closing Times	Closing Times: 07:00 PM 07:00 F		M 07:00 PM		07:00 PM 07:0		0 PM			
# of Classrooms:	Pt	urpose:			Date:			Time:		
1 Follow-up				02/26/2018			10:35 AM			
Comments Follow up visit to Se	mi Annual visit to h	ome dated 1/1	7/18.							

AS NOTED BELOW:					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Compliance					
Not Inspected					
Not Inspected					
Personnel & Staffing					
Not Inspected					
Not Inspected					
Not Inspected					
Compliance					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					

Survey Report Form Page 1 of 2

Center Name: Aurora Zollars	License Number: 53551	Date: 02/26/2018	
Services & Car	e of Children		
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Not Inspected
8.16.2.34 I EQUIPMENT AND PROGRAM			Not Inspected
8.16.2.34 J OUTDOOR PLAY			Not Inspected
8.16.2.34 K SWIMMING, WADING AND WATER			N/A
8.16.2.34 L FIELD TRIPS			Not Inspected
Food Se	ervice		
8.16.2.35 B MEALS AND SNACKS			Not Inspected
8.16.2.35 C MENUS			Not Inspected
8.16.2.35 D KITCHENS			Compliance
8.16.2.35 E MEAL TIMES			Not Inspected
Health & Safety	Requirements		
8.16.2.36 A HYGIENE			Not Inspected
8.16.2.36 B FIRST AID REQUIREMENTS			Not Inspected
8.16.2.36 C MEDICATION			Not Inspected
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES			Not Inspected
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES			Not Inspected
Buildings, Grou	ınds & Safety		
8.16.2.38 A HOUSEKEEPING			Compliance
8.16.2.38 B PEST CONTROL			Not Inspected
8.16.2.38 C MECHANICAL SYSTEMS			Not Inspected
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Not Inspected	
8.16.2.38 E EXITS		Not Inspected	
8.16.2.38 F TOILET AND BATHING FACILITIES		Not Inspected	
8.16.2.38 G SAFETY COMPLIANCE		Not Inspected	
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRI	STANCES	Not Inspected	
8.16.2.38 I PETS			Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

02/26/2018

02/26/2018

Surveyor: Nicholas Conde

Date

Facility Rep:Aurora Zollars

Date