Facility

Name: Building Bridges Child Development License Number: 128713

Address: 2400 Bridge S.W, Albuquerque, NM 87105

Phone: 5052436639 Fax: na E-mail: rosemartinez133@gmail.com

License Information

Status: Licensed Type: 3 Star FOCUS Child Issue Date: 06/05/2018 **Expiration Date:**

Care Center 06/04/2019

Capacity

Over Age 2: 170 Under Age 2: 15 Night Care: 0 Playground: 30

Square Footage: 0

Census

Over 2:0 Under 2:0

Classrooms

Number of Classrooms: 7

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

6:00 AM - 7:00 PM 6:00 AM - 7:00 PM 6:00 AM - 7:00 PM 6:00 AM - null 6:00 AM - 7:00 PM

Saturday Sunday Closed Closed

Inspection

Date: 06/06/2018 Time In: 2:42 PM Time Out: 3:00 PM Purpose: Follow-up

Not Inspected
Not Inspected
Compliance
Not Inspected
Not Inspected
Not Inspected
Compliance
Compliance
Not Inspected
Not Inspected
Not Inspected
Not Inspected
Not Inspected

· ·	0. ($C \subset C \cap C \cap C$	(continued	١.
Sarvicae	XII ara	Of Children	Icontinuad	
3GI VIGES	ox Care			,

8.16.2.24 G Physical Environment	Not Inspected
8.16.2.24 H Social-Emotional Responsive Environment	Not Inspected
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Not Inspected
8.16.2.24 K Swimming, Wadding and Water	Not Inspected
8.16.2.24 L Field Trips	Not Inspected

Food Service

8.16.2.25 B Meals and Snacks	Not Inspected
8.16.2.25 C Menus	Not Inspected
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Not Inspected

Health & Safety Requirements

8.16.2.26 A Hygiene	Not Inspected
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Not Inspected
8.16.2.27 A-D Illness Requirements for Centers	Not Inspected
8.16.2.28 A-H Transportation Requirements for Centers	Not Inspected

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping	Compliance
8.16.2.29 B Pest Control	Not Inspected
8.16.2.29 C Mechanical Systems	Not Inspected
8.16.2.29 D Water and Waste	Not Inspected
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.29 F Exits and Windows	Not Inspected
8.16.2.29 G Toilet and Bathing Facilities	Not Inspected
8.16.2.29 H Safety Compliance	Compliance
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	Not Inspected
8.16.2.29 J Pets	Compliance

Additional Comments

this is a follow up to annual

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Sylvia Foster

Facility Representative: Rosemarie Martinez