

Center Name: CABQ MacArthur Early Head Start		Address: 1100 Douglas MacArthur Rd. NW Albuquerque, NM 87107			Phone: (505)761-4046		
License Number: 99487	Issue Date: 01/26/2017	Expiration Date: 01/25/2018	Type: 1 Star Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	10	Under Age 2:	10	Night Care:	0	Playground:	20
		Over 2:	2	Under 2:	6		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 AM	07:00 AM	07:00 AM	07:00 AM	Closed	Closed
Closing Times:	04:30 PM	04:30 PM	04:30 PM	04:30 PM	04:30 PM		
# of Classrooms: 2	Purpose: Incident Investigation		Date: 12/11/2017		Time: 10:30 AM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

Center Name: CABQ MacArthur Early Head Start	License Number: 99487	Date: 12/11/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Not Inspected
8.16.2.24 B NAPS OR REST PERIOD		Not Inspected
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Not Inspected
8.16.2.24 D DIAPERING AND TOILETING		Not Inspected
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		N/A
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Not Inspected
8.16.2.24 J OUTDOOR PLAY AREAS		Not Inspected
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Not Inspected
8.16.2.25 D KITCHENS		Not Inspected
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Not Inspected
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		N/A
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Not Inspected
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS Deficiencies The temperature in rooms used by children is less than 68 degrees Fahrenheit. Regulation: 8.16.2.29C(1) Corrective Action Plan A temperature between 68 degrees through 82 degrees Fahrenheit will be maintained in all rooms used by children. Date to be Completed: 12/11/2017		Non-compliance
8.16.2.29 D WATER AND WASTE		Not Inspected
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Not Inspected

Center Name: CABQ MacArthur Early Head Start	License Number: 99487	Date: 12/11/2017
Buildings, Grounds & Safety		
8.16.2.29 F EXITS AND WINDOWS		Not Inspected
8.16.2.29 G TOILET AND BATHING FACILITIES		Not Inspected
8.16.2.29 H SAFETY COMPLIANCE		Not Inspected
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Not Inspected
8.16.2.29 J PETS		N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

LM 12:30

12/11/2017

On file

12/11/2017

Surveyor: Lucille Mizner	Date	Facility Rep: Maria Gaucin	Date
--------------------------	------	----------------------------	------