

Center Name: Carol Welch		Address: 1828 Foster Rd. Las Cruces, NM 88001			Phone: (575)496-3670		
License Number: 27066	Issue Date: 03/2/2017	Expiration Date: 05/31/2017	Type: 2 Star Family Child Care Home		Status: Licensed		
Capacity					Census		
Over Age 2:	4	Under Age 2:	2	Night Care:	0	Playground:	0
				Over 2:	3	Under 2:	1
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:30	07:30	07:30	07:30	07:30	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
# of Classrooms: 1	Purpose: Annual		Date: 05/31/2017		Time: 10:45		
Comments Provisional inspection							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.31 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.31 B CAPACITY OF A HOME	Compliance
8.16.2.31 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.32 A ADMINISTRATIVE RECORDS	Compliance
8.16.2.32 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.32 C PARENT HANDBOOK	Compliance
8.16.2.32 D CHILDREN'S RECORDS	Compliance
8.16.2.32 E PERSONNEL RECORDS	Compliance
8.16.2.32 F PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.33 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.33 B STAFF QUALIFICATIONS AND TRAINING	Compliance
Services & Care of Children	
8.16.2.34 A GUIDANCE	Compliance
8.16.2.34 B NAPS OR REST PERIOD	Compliance
8.16.2.34 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance
8.16.2.34 D DIAPERING AND TOILETING	Compliance
8.16.2.34 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected
8.16.2.34 F NIGHT CARE	N/A
8.16.2.34 G PHYSICAL ENVIRONMENT	Compliance

Center Name: Carol Welch	License Number: 27066	Date: 05/31/2017
Services & Care of Children		
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.34 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.34 J OUTDOOR PLAY Deficiencies The fall zone underneath the slide is not adequate as evidenced by the resilient material is not uniformly spread over the fall zone area. The wood chips underneath the big slide are not uniformly spread over the fall zone area. Regulation: 8.16.2.34J(3) Corrective Action Plan A resilient surface will be provided beneath the play equipment and a schedule will be devised to provide routine checks. CORRECTED ON SITE. Date to be Completed: 05/31/2017		Non-compliance
8.16.2.34 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.34 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.35 B MEALS AND SNACKS		Compliance
8.16.2.35 C MENUS		Compliance
8.16.2.35 D KITCHENS		Compliance
8.16.2.35 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.36 A HYGIENE		Compliance
8.16.2.36 B FIRST AID REQUIREMENTS		Compliance
8.16.2.36 C MEDICATION		Not Inspected
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES		Not Inspected
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES		Compliance
Buildings, Grounds & Safety		
8.16.2.38 A HOUSEKEEPING		Compliance
8.16.2.38 B PEST CONTROL		Not Inspected
8.16.2.38 C MECHANICAL SYSTEMS		Compliance
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.38 E EXITS		Compliance
8.16.2.38 F TOILET AND BATHING FACILITIES		Compliance
8.16.2.38 G SAFETY COMPLIANCE		Compliance
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Compliance
8.16.2.38 I PETS		Compliance

Center Name: Carol Welch	License Number: 27066	Date: 05/31/2017
------------------------------------	---------------------------------	----------------------------

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

SK Wells 12:20

05/31/2017

Carol Welch

05/31/2017

Surveyor: Steven Wells	Date	Facility Rep: Carol Welch	Date
------------------------	------	---------------------------	------