

Center Name: Cradles and Crayons - Chaparral		Address: 431 Mc Combs Chaparral, NM 88021			Phone: (575)824-5390		
License Number: 144964	Issue Date: 06/1/2017	Expiration Date: 08/27/2017	Type: 3 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	44	Under Age 2:	10	Night Care:	0	Playground:	33
		Over 2:	25	Under 2:	4		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	05:00 AM	05:00 AM	05:00 AM	05:00 AM	05:00 AM	Closed	Closed
Closing Times:	06:30 PM	06:30 PM	06:30 PM	06:30 PM	06:30 PM		
# of Classrooms: 4	Purpose: Follow-up		Date: 09/21/2017		Time: 03:06 PM		
Comments Follow up to Annual survey dated 6-26-17. Deficiencies corrected will show as compliance, the following deficiencies remain;							


A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	N/A
8.16.2.11 B RENEWAL OF LICENSE	N/A
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	N/A
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	N/A
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	N/A
8.16.2.18 D COMPLAINTS	N/A
8.16.2.21 A LICENSING REQUIREMENTS	N/A
8.16.2.21 B CAPACITY OF CENTERS <u>Deficiencies</u> The center failed to post classroom capacities, and ratios and group sizes in an area of the room that is easily visible to parents, staff and visitors. Group sizing not posted in any of the rooms. Regulation: 8.16.2.21B(3)(c) <u>Corrective Action Plan</u> The center will post the capacity in an area of the room that is easily visible to parents, staff and visitors. Date to be Completed: 10/01/2017	Non-compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	N/A
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	N/A
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	N/A
8.16.2.22 C POLICY AND PROCEDURES	N/A
8.16.2.22 D FAMILY HANDBOOK	N/A

Center Name: Cradles and Crayons - Chaparral	License Number: 144964	Date: 09/21/2017
Administrative Requirements		
8.16.2.22 E CHILDREN'S RECORDS		N/A
8.16.2.22 F PERSONNEL RECORDS		Compliance
8.16.2.22 G PERSONNEL HANDBOOK		N/A
Personnel & Staffing		
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS		N/A
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING		N/A
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES		N/A
Services & Care of Children		
8.16.2.24 A GUIDANCE		N/A
8.16.2.24 B NAPS OR REST PERIOD		N/A
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		N/A
8.16.2.24 D DIAPERING AND TOILETING		N/A
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		N/A
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		N/A
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		N/A
8.16.2.24 I EQUIPMENT AND PROGRAM		N/A
8.16.2.24 J OUTDOOR PLAY AREAS		N/A
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		N/A
8.16.2.25 C MENUS		N/A
8.16.2.25 D KITCHENS		N/A
8.16.2.25 E MEAL TIMES		N/A
Health & Safety Requirements		
8.16.2.26 A HYGIENE		N/A
8.16.2.26 B FIRST AID REQUIREMENTS		N/A
8.16.2.26 C MEDICATION		Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		N/A
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		N/A
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		N/A

Center Name: Cradles and Crayons - Chaparral	License Number: 144964	Date: 09/21/2017
Buildings, Grounds & Safety		
8.16.2.29 C MECHANICAL SYSTEMS <u>Deficiencies</u> Water coming from a faucet is above 110 degrees Fahrenheit. In the afterschool room. Regulation: 8.16.2.29C(5) <u>Corrective Action Plan</u> The center will install a tempering valve ahead of the water-heater piping to ensure water temperature remains below 110 degrees Fahrenheit. Date to be Completed: 10/01/2017		Non-compliance
8.16.2.29 D WATER AND WASTE		N/A
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.29 F EXITS AND WINDOWS		N/A
8.16.2.29 G TOILET AND BATHING FACILITIES		N/A
8.16.2.29 H SAFETY COMPLIANCE		N/A
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		N/A
8.16.2.29 J PETS		N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.


Hpm

09/21/2017



09/21/2017

Surveyor: Crystal Estrada

Date

Facility Rep: Maria Granados

Date