Facility

Name: Desert Montessori School License Number: 69495

Address: 316 Camino Delora, Santa Fe, NM 87505

Phone: 5059838212 Fax: E-mail: Awise@dessertmontessori.com

License Information

Type: 2 Star Child Care Status: Licensed Issue Date: 02/05/2018 **Expiration Date:**

Center

02/04/2019

Capacity

Over Age 2:90 Under Age 2:0 Night Care: 0 Playground: 68

Square Footage: 0

Census

Over 2:20 Under 2:0

Classrooms

Number of Classrooms: 2

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday 8:00 AM - 5:30 PM 8:00 AM - 5:30 PM

Saturday Sunday Closed Closed

Inspection

Date: 12/13/2018 Time In: 12:35 PM Time Out: 2:00 PM Purpose: Annual

Licensing:

8.16.2.11 A Types of Licenses Compliance

8.16.2.11 B Renewal of License Compliance

8.16.2.11 D Non-transferable Restrictions of License Compliance

Licensing Actions and Administrative Appeals:

8.16.2.12 A, K, M Licensing Actions and Administrative Appeals Compliance

12/13/2018 https://cyfd.org/ 1 of 5

Compliance
Not Inspected
Compliance
Compliance
Compliance
Compliance
Compliance
Compliance

8.16.2.23 B Staff Qualifications and Training

Non-compliance

Personnel

8.16.2.23.B.2.b.:All new educators regardless of the number of hours per week will complete the following training within three (3) months of their date of hire. All current educators will have three months to comply with the following training from the date these regulations are promulgated:

Finding Deadline: 01/12/2019

Educators did not complete the following training within 3-months: Health and Safety Training

Corrective Action Plan

All educators, regardless of the number of hours per week, will complete the above listed training. The following staff members need to complete the required training:

Personnel and Staffing Requirements for Centers: (continued)	
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services and Care of Children in Centers:	
8.16.2.24 A Guidance	Compliance
8.16.2.24 A1 Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Compliance
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	Compliance
8.16.2.24 L Field Trips	Compliance
Food Service Requirements for Centers:	
8.16.2.25 A Meal Pattern Requirements	Compliance
8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 B3 Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance
Health and Safety Requirements for Centers:	
8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Compliance

Illness Requirements for Centers:

8.16.2.27 A-D Illness Requirements for Centers

Compliance

Transportation Requirements for Centers:

8.16.2.28 A-H Transportation Requirements for Centers

N/A

Building, Ground and Safety Requirements for Centers:

8.16.2.29 A Housekeeping

Compliance

8.16.2.29 B Pest Control

Compliance

8.16.2.29 C Mechanical Systems

Non-compliance

Preschool Classroom

8.16.2.29.C.5.:Water coming from a faucet will be below 110 degrees (Fahrenheit). A center will install a tempering valve ahead of all domestic water-heater piping.

Finding Deadline: 01/12/2019

Water coming from a faucet is above 110 degrees Fahrenheit.

Corrective Action Plan

The center will install a tempering valve ahead of the water-heater piping to ensure water temperature remains below 110 degrees Fahrenheit.

Admin/Licensure

8.16.2.29.C.5.:Water coming from a faucet will be below 110 degrees (Fahrenheit). A center will install a tempering valve ahead of all domestic water-heater piping.

Finding Deadline: 01/12/2019

Water coming from a faucet is above 110 degrees Fahrenheit.

Corrective Action Plan

The center will install a tempering valve ahead of the water-heater piping to ensure water temperature remains below 110 degrees Fahrenheit.

8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance

Building, Ground and Safety Requirements for Centers: (continued)

8.16.2.29 H3(f)(i)(k) Safety Compliance

Compliance

8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances

Compliance

Jub3 tarice.

8.16.2.29 J Pets

N/A

Additional Comments

Playground was covered in snow and licensing was unable to inspect properly. Need to check at follow up.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Franchesca Archuleta

Facility Representative: Autumn Wise