

<b>Center Name:</b> East Gate Kids		<b>Address:</b> 12120 Copper NE Albuquerque, NM 87123			<b>Phone:</b> (505)294-5102		
<b>License Number:</b> 21809	<b>Issue Date:</b> 03/5/2017	<b>Expiration Date:</b> 03/4/2018	<b>Type:</b> 4 Star FOCUS Child Care Center		<b>Status:</b> Licensed		
<b>Capacity</b>					<b>Census</b>		
Over Age 2:	177	Under Age 2:	41	Night Care:	0	Playground:	156
		Over 2:	92	Under 2:	22		
<b>Days and Hours of Operation</b>							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:30 AM	06:30 AM	06:30 AM	06:30 AM	06:30 AM	Closed	Closed
Closing Times:	06:30 PM	06:30 PM	06:30 PM	06:30 PM	06:30 PM		
<b># of Classrooms:</b> 10	<b>Purpose:</b> Semi-Annual		<b>Date:</b> 06/28/2017		<b>Time:</b> 11:00 AM		
<b>Comments</b>							





A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

<b>Center Name:</b> East Gate Kids	<b>License Number:</b> 21809	<b>Date:</b> 06/28/2017
<b>Services &amp; Care of Children</b>		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
<b>Food Service</b>		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Compliance
<b>Health &amp; Safety Requirements</b>		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Compliance
8.16.2.26 C MEDICATION		Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Compliance
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Compliance
<b>Buildings, Grounds &amp; Safety</b>		
8.16.2.29 A HOUSEKEEPING <b>Deficiencies</b> The Premises are not in good repair as evidenced by loose jungle gym on the big playground. <b>Regulation:</b> 8.16.2.29A(1) <b>Corrective Action Plan</b> Repairs will be completed and a system for routine inspection of the center and premises will be established. <b>Date to be Completed:</b> 07/28/2017		Non-compliance
8.16.2.29 B PEST CONTROL		Compliance
8.16.2.29 C MECHANICAL SYSTEMS		Compliance
8.16.2.29 D WATER AND WASTE		Compliance

<b>Center Name:</b> East Gate Kids	<b>License Number:</b> 21809	<b>Date:</b> 06/28/2017
<b>Buildings, Grounds &amp; Safety</b>		
<b>8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL</b>	Compliance	
<b>8.16.2.29 F EXITS AND WINDOWS</b>	Compliance	
<b>8.16.2.29 G TOILET AND BATHING FACILITIES</b>	Compliance	
<b>8.16.2.29 H SAFETY COMPLIANCE</b> <u>Deficiencies</u> The center's fire extinguishers is not inspected yearly . Regulation: 8.16.2.29H(3)(k)  <u>Corrective Action Plan</u> Equipment will be maintained and inspected yearly. Date to be Completed: 07/28/2017	Non-compliance	
<b>8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES</b>	Compliance	
<b>8.16.2.29 J PETS</b>	Compliance	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

			
Surveyor: Patricia Williams	Date	Facility Rep: Michelle Crispin	Date