Facility

Name: First Christian Church Child Development Center In License Number: 73957

Address: 1211 Hull, Ruidoso, NM 88355

Phone: 5752581490 E-mail: fcccdc1999@gmail.com

License Information

Status: Licensed Type: 3 Star FOCUS Child Issue Date: 01/01/2018 **Expiration Date:**

Care Center

08/08/2018

Capacity

Over Age 2:61 Under Age 2: 15 Night Care: 0 Playground: 86

Square Footage: 0

Census

Over 2: 23 Under 2:5

Classrooms

Number of Classrooms: 5

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

7:30 AM - 5:30 PM 7:30 AM - 5:30 PM

Saturday Sunday Closed Closed

Inspection

Date: 05/21/2018 Time In: 2:15 PM Time Out: 3:20 PM Purpose: Other

8.16.2.23 C Staff/Child Ratios and Group Sizes

Compliance

Licensure	
8.16.2.11 A Types of Licenses	N/A
8.16.2.11 B Renewal of License	N/A
8.16.2.11 D Non-transferable Restrictions of License	N/A
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	N/A
8.16.2.17 E, F Surveys for Child Care Facilities	N/A
8.16.2.18 D Complaints	N/A
8.16.2.21 A Licensing Requirements	N/A
8.16.2.21 B Capacity of Centers	Compliance
8.16.2.21 C Incident Reporting Requirements	N/A
Administrative Requirements	
8.16.2.22 A Administrative Records	N/A
8.16.2.22 B Mission, Philosophy and Curriculum Statement	N/A
8.16.2.22 C Policy and Procedures	N/A
8.16.2.22 D Family Handbook	N/A
8.16.2.22 E Children's Records	N/A
8.16.2.22 F Personnel Records	N/A
8.16.2.22 G Personnel Handbook	N/A
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	N/A
8.16.2.23 B Staff Qualifications and Training	N/A

Date to be Completed: 06/20/2018

Date to be Completed: 06/20/2018

Services & Care of Children

8.16.2.24 A Guidance Non-compliance

Guidance being used by staff in the 2 yr. old class room(s) is not appropriate as evidenced by an educator did not remain calm in stressful situations.

Corrective Action Plan

The center's guidance practices will be reviewed with staff to ensure consistent and age -appropriate guidance is used. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.A.2.

Guidance being used by staff in the 2 yr. old class room(s) is not positive and does not include redirection and clear limits to encourage the child's ability to become self-disciplined.

Corrective Action Plan

The center's guidance practices will be reviewed with staff to ensure positive guidance, redirection, and clear limits are used. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.A.3.

8.16.2.24 B Naps or Rest Period N/A

8.16.2.24 C Additional Requirements for Infants and Toddlers

8.16.2.24 D Diapering and Toileting

8.16.2.24 E Additional Requirements for Children with Special Needs

8.16.2.24 F Additional Requirements for Night Care

8.16.2.24 G Physical Environment N/A

8.16.2.24 H Social-Emotional Responsive Environment

Non-compliance

Compliance

N/A

During the inspection, it was observed that the educator(s) in the 2 yr. old class room(s) was/were not calm when a stressful situation occurred when an educator used physical and emotional abuse.

Corrective Action Plan

Educators should remain calm in stressful situations. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.H.1. Date to be Completed: 06/20/2018

8.16.2.24 H Social-Emotional Responsive Environment (continued)

Non-compliance

Educators in the 2 yr. old class room(s) failed to talk, actively listen, and respond appropriately to children when an educator did not remain calm during stressful situations.

Corrective Action Plan

Educators will talk, actively listen, and respond appropriately to children. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.H.2. Date to be Completed: 06/20/2018

Educators in the 2 yr. old class room(s) failed to respond to children's questions and acknowledge their comments, concerns, emotions and feelings when an educator did not remain calm during stressful situations.

Corrective Action Plan

Educators will respond to children's questions and acknowledge their comments, concerns, emotions and feelings. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.H.2. Date to be Completed: 06/20/2018

Educators in the 2 yr. old class room(s) are not actively engaged with children when an educator did not remain calm during stressful situations.

Corrective Action Plan

Educators will actively engage with children. Facility will have 10 days to schedule a CYFD approved training and 30 days to receive the training.

Regulation: 8.16.2.24.H.2. Date to be Completed: 06/20/2018

8.16.2.24 I Equipment and Program	N/A
8.16.2.24 J Outdoor Play Areas	N/A
8.16.2.24 K Swimming, Wadding and Water	N/A
8.16.2.24 L Field Trips	N/A

Food Service

8.16.2.25 B Meals and Snacks	N/A
8.16.2.25 C Menus	N/A
8.16.2.25 D Kitchens	N/A
8.16.2.25 E Meal Times	N/A

Health & Safety Requirements	
8.16.2.26 A Hygiene	N/A
8.16.2.26 B First Aid Requirements	N/A
8.16.2.26 C Medication	N/A
8.16.2.27 A-D Illness Requirements for Centers	N/A
8.16.2.28 A-H Transportation Requirements for Centers	N/A

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping	N/A
8.16.2.29 B Pest Control	N/A
8.16.2.29 C Mechanical Systems	N/A
8.16.2.29 D Water and Waste	N/A
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	N/A
8.16.2.29 F Exits and Windows	N/A
8.16.2.29 G Toilet and Bathing Facilities	N/A
8.16.2.29 H Safety Compliance	N/A
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	N/A
8.16.2.29 J Pets	N/A

Additional Comments

Citation to complaint received on 04/03/2018, the facility was sanctioned \$1,500. Facility will be mandated to receive a social emotional/interactions training and the director will be mandated to receive a leadership training.

"N/A" are not applicable to this training.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Steven Wells

Facility Representative: Belinda Hanners