

Center Name: IRENE CHAVEZ		Address: 3801 HOMESTEAD PL CLOVIS, NM 881010000			Phone: (575)762-8004		
License Number: 13670	Issue Date: 06/10/2017	Expiration Date: 06/9/2018	Type: 3 Star Group Child Care Home		Status: Licensed		
Capacity					Census		
Over Age 2:	8	Under Age 2:	4	Night Care:	0	Playground:	0
		Over 2:	1	Under 2:	1		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:30	06:30	06:30	06:30	06:30	Closed	Closed
Closing Times:	05:30 P	05:30 P	05:30 P	05:30 P	05:30 P		
# of Classrooms: 2	Purpose: Semi-Annual		Date: 10/31/2017		Time: 09:35 AM		
Comments Semi -Annual survey. Water temp is at 104.2.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.31 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.31 B CAPACITY OF A HOME	Compliance
8.16.2.31 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.32 A ADMINISTRATIVE RECORDS	Not Inspected
8.16.2.32 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.32 C PARENT HANDBOOK	Not Inspected
8.16.2.32 D CHILDREN'S RECORDS	Compliance
8.16.2.32 E PERSONNEL RECORDS	Compliance
8.16.2.32 F PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.33 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.33 B STAFF QUALIFICATIONS AND TRAINING	Compliance
Services & Care of Children	
8.16.2.34 A GUIDANCE	Compliance
8.16.2.34 B NAPS OR REST PERIOD	Not Inspected
8.16.2.34 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance
8.16.2.34 D DIAPERING AND TOILETING	Compliance
8.16.2.34 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected
8.16.2.34 F NIGHT CARE	Not Inspected
8.16.2.34 G PHYSICAL ENVIRONMENT	Compliance

Center Name: IRENE CHAVEZ	License Number: 13670	Date: 10/31/2017
Services & Care of Children		
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.34 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.34 J OUTDOOR PLAY Deficiencies The fall zone underneath the slide is not adequate as evidenced by the resilient material is not deep enough. Regulation: 8.16.2.34J(3) Corrective Action Plan A resilient surface will be provided beneath the play equipment and a schedule will be devised to provide routine checks. Date to be Completed: 11/30/2017		Non-compliance
8.16.2.34 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.34 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.35 B MEALS AND SNACKS		Compliance
8.16.2.35 C MENUS		Compliance
8.16.2.35 D KITCHENS		Compliance
8.16.2.35 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.36 A HYGIENE		Compliance
8.16.2.36 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.36 C MEDICATION		Not Inspected
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES		Not Inspected
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES		Not Inspected
Buildings, Grounds & Safety		
8.16.2.38 A HOUSEKEEPING		Compliance
8.16.2.38 B PEST CONTROL		Not Inspected
8.16.2.38 C MECHANICAL SYSTEMS		Compliance
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.38 E EXITS		Compliance
8.16.2.38 F TOILET AND BATHING FACILITIES		Compliance
8.16.2.38 G SAFETY COMPLIANCE		Compliance
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Compliance
8.16.2.38 I PETS		Compliance

Center Name: IRENE CHAVEZ	License Number: 13670	Date: 10/31/2017
-------------------------------------	---------------------------------	----------------------------

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Susie Aragon
10:30

10/31/2017

Irene Chavez

10/31/2017

Surveyor: Susie Aragon	Date	Facility Rep: Irene Chavez	Date
------------------------	------	----------------------------	------