

Center Name: Jaroslave Million			Address: 6824 Brushfield Rd Albuquerque, NM 87114				Phone: (505)980-42	Phone: (505)980-4210	
License Number:	Issue Date:	Expiration	Date:	Type:			Status:		
166467	05/23/2017	02/20/2018		1 Star Fa	mily Child Care H	ome	Licensed		
Capacity				•		C	ensus		
Over Age 2: 6	Under Age 2:	0 Night	Care:	0	Playground:	0 C	ver 2:	5 Und	er 2: 0
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	y <u>W</u>	/ednesday	Thursda	ı <u>y</u> <u>F</u>	riday	Saturday	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 Al	M (07:00 AM	07:00 AM	И 07	:00 AM	Closed	Closed
Closing Times:	05:30 PM	05:30 PI	M (05:30 PM	05:30 PM	И 05	:30 PM		
# of Classrooms:	1	Purpose:			Date:			Time:	
1	:	Semi-Annual			09/27/2017			09:30 AM	
Comments	•								
<u> </u>									

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED	BELOW:			
Licensure				
8.16.2.31 A LICENSING REQUIREMENTS	Not Inspected			
8.16.2.31 B CAPACITY OF A HOME	Compliance			
8.16.2.31 C INCIDENT REPORTING REQUIREMENTS	Not Inspected			
Administrative Requirements				
8.16.2.32 A ADMINISTRATIVE RECORDS	Compliance			
8.16.2.32 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected			
8.16.2.32 C PARENT HANDBOOK	Compliance			
8.16.2.32 D CHILDREN'S RECORDS	Compliance			
8.16.2.32 E PERSONNEL RECORDS	Compliance			
8.16.2.32 F PERSONNEL HANDBOOK	N/A			
Personnel & Staffing				
8.16.2.33 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance			
8.16.2.33 B STAFF QUALIFICATIONS AND TRAINING	Non-compliance			
<u>Deficiencies</u>				
Educators did not complete the following training within 3-months: Health and Safety				
Training Regulation: 8.16.2.33B(1)				
<u>Corrective Action Plan</u> All educators, regardless of the number of hours per week, will complete the above listed				
training.				
Date to be Completed: 10/27/2017				
Services & Care of Children				
8.16.2.34 A GUIDANCE	Compliance			

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:				
Jaroslave Million	166467	09/27/2017				
Services & Car	e of Children		0 "			
8.16.2.34 B NAPS OR REST PERIOD			Compliance			
8.16.2.34 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS			N/A			
8.16.2.34 D DIAPERING AND TOILETING		Compliance				
8.16.2.34 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL N		Not Inspected				
8.16.2.34 F NIGHT CARE			N/A			
8.16.2.34 G PHYSICAL ENVIRONMENT			Compliance			
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Compliance			
8.16.2.34 I EQUIPMENT AND PROGRAM			Compliance			
8.16.2.34 J OUTDOOR PLAY			Compliance			
8.16.2.34 K SWIMMING, WADING AND WATER			Not Inspected			
8.16.2.34 L FIELD TRIPS			Not Inspected			
Food Se	ervice					
8.16.2.35 B MEALS AND SNACKS			Compliance			
8.16.2.35 C MENUS			Compliance			
8.16.2.35 D KITCHENS			Non-compliance			
<u>Deficiencies</u>						
The home's freezer does not have a working internal thermometer.						
Regulation: 8.16.2.35D(7)						
Corrective Action Plan A working internal thermometer will be obtained.						
Date to be Completed: 10/27/2017						
8.16.2.35 E MEAL TIMES			Compliance			
Health & Safety	Requirements					
8.16.2.36 A HYGIENE			Compliance			
8.16.2.36 B FIRST AID REQUIREMENTS			Not Inspected			
8.16.2.36 C MEDICATION			Not Inspected			
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES		Compliance				
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES			Not Inspected			
Buildings, Grounds & Safety						
8.16.2.38 A HOUSEKEEPING			Non-compliance			
<u>Deficiencies</u>						
The premises in the playground are not safe in that the metal trim are						
sharp edges. Regulation: 8.16.2.38A(1)						
Corrective Action Plan						
The safety violation will be corrected and a system for routine safety	inspection developed.					
Date to be Completed: 10/27/2017						
8.16.2.38 B PEST CONTROL			Compliance			
<u> </u>						

Survey Report Form Page 2 of 3

Center Name:	License Number:	Date:			
Jaroslave Million	166467	09/27/2017			
Buildings, Grounds & Safety					
8.16.2.38 C MECHANICAL SYSTEMS			Compliance		
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Compliance		
8.16.2.38 E EXITS			Compliance		
8.16.2.38 F TOILET AND BATHING FACILITIES			Compliance		
8.16.2.38 G SAFETY COMPLIANCE Deficiencies The home failed to conduct an emergency preparedness practice drills for quarter. Regulation: 8.16.2.38 G(3) Corrective Action Plan A home will conduct emergency preparedness practice drills at least quarter. January of each calendar year. Date to be Completed: 10/27/2017			Non-compliance		
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS	S AND CONTROLLED SUBSTAN	CES	Compliance		
8.16.2.38 I PETS			Compliance		
		-			

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

09/27/2017

Date

Million

Facility Rep:Jaroslave Million

09/27/2017

Date

Surveyor: Darlene Montoya Survey Report Form Page 3 of 3