

Facility				
Name: Jeanie's Child Devel	License Number: 156820			
Address: 1300 Girard Ave., Phone: 5052685088	Fax: N/A	7 106 E-mail: jeanstockton79)@vahoo.com	
License Information			eyunoo.com	
Type: 4 Star FOCUS Child Care Center	Status: Licensed	Issue Date: 03/11/201	8 Expiration Date: 03/10/2019	
Capacity				
Over Age 2: 39 Square Footage: 0	Under Age 2:16	Night Care: 0	Playground: 35	
Census				
Over 2: 21	Under 2: 10			
Classrooms				
Number of Classrooms: 4	!			
Days and Hours of Operation	n			
Monday 7:00 AM - 6:00 PM 7:	Tuesday 00 AM - 6:00 PM	2	sday Friday - 6:00 PM 7:00 AM - 6:00 PM	
Saturday Closed	Sunday Closed			
Inspection				
Date: 01/11/2019	Time In: 9:40 AM	Time Out: 12:30 PM	Purpose: Annual	
Licensure				
8.16.2.11 A Types of Licer	nses		Not Inspected	
8.16.2.11 B Renewal of Lie	cense		Not Inspected	
8.16.2.11 D Non-transfera	Not Inspected			
8.16.2.12 A, K, M Licensin	Not Inspected			
8.16.2.17 E, F Surveys for Child Care Facilities				
8.16.2.18 D Complaints	Not Inspected			
8.16.2.21 A Licensing Req	uirements		Not Inspected	

Licensure (continued)

8.16.2.21 C Incident Reporting Requirements

Administrative Requirements

8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Compliance
8.16.2.22 C Policy and Procedures	Compliance
8.16.2.22 D Family Handbook	Compliance
8.16.2.22 E Children's Records	Non-compliance

Of the 10 children's records reviewed, 2 is/are missing a copy of an up-to-date immunization record or public health division approved exemption. See Children's Records 8.16.2.22 form for the child(ren) with no immunization/exemption.

Corrective Action Plan

Parents will be advised to submit a complete and up-to-date immunization record or exemption. The center will review all children's records to ensure complete information is on file.

Regulation: 8.16.2.22.E.1.e.

Date to be Completed: 02/10/2019

Of the 10 children's records reviewed, 2 is/are missing information on allergies or medical conditions. See Children's Records 8.16.2.22 form for the child(ren) with missing information.

Corrective Action Plan Parents will be advised to review and add missing information. The center will review all records to ensure information regarding allergies and medical conditions is on file.

Regulation: 8.16.2.22.E.2.a.

Date to be Completed: 02/10/2019

8.16.2.22 F Personnel Records

From the review of staff records, it was determined that 1 out of 7 staff records does/do not include documentation of current first-aid and cardiopulmonary resuscitation training. See Staff Records 8.16.2.22 form for staff without verification of training.

Corrective Action Plan The center will obtain documentation of first-aid and CPR training and retain on file.

Regulation: 8.16.2.22.F.1.g.

Date to be Completed: 02/10/2019

Non-compliance

Not Inspected

8.16.2.22 F Personnel Records (continued)

Non-compliance

From the review of staff records, it was determined that 1 out of 15 staff records does/do not include a background check. See Staff Records 8.16.2.22 form for staff with this missing information. In the required every 5 years. Corrective Action Plan The center will obtain documentation of a background check. Regulation: 8.16.2.22.F.1.e. Date to be Completed: 02/10/2019 8.16.2.22 G Personnel Handbook Compliance Personnel & Staffing Compliance 8.16.2.23 A Personnel and Staffing Requirements Compliance 8.16.2.23 B Staff Qualifications and Training 8.16.2.23 C Staff/Child Ratios and Group Sizes Compliance Services & Care of Children 8.16.2.24 A Guidance Compliance 8.16.2.24 B Naps or Rest Period Compliance 8.16.2.24 C Additional Requirements for Infants and Toddlers Compliance 8.16.2.24 D Diapering and Toileting Compliance 8.16.2.24 E Additional Requirements for Children with Special Needs N/A 8.16.2.24 F Additional Requirements for Night Care N/A 8.16.2.24 G Physical Environment Compliance 8.16.2.24 H Social-Emotional Responsive Environment Compliance 8.16.2.24 I Equipment and Program Compliance 8.16.2.24 J Outdoor Play Areas Not Inspected 8.16.2.24 K Swimming, Wading and Water N/A 8.16.2.24 L Field Trips N/A Food Service 8.16.2.25 B Meals and Snacks Compliance 8.16.2.25 C Menus Compliance Compliance

Food Service (continued)

8.16.2.25 E Meal Times

Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Compliance
8.16.2.27 A-D Illness Requirements for Centers	Not Inspected

8.16.2.28 A-H Transportation Requirements for Centers

A vehicle used for transporting children is not equipped with an operable fire extinguisher.

Corrective Action Plan The vehicle will be equipped with required items.

Regulation: 8.16.2.28.A.

Buildings, Grounds & Safety

Compliance
Compliance
Compliance
Compliance

8.16.2.29 E Lighting, Lighting Fixtures and Electrical

Light bulbs in the Toddlers are not shatterproof or shielded.

Corrective Action Plan Shielded or shatterproof bulbs will be used.

Regulation:	8.16.2.29.E.1.	
-------------	----------------	--

Date to be Completed: 02/10/2019

8.16.2.29 F Exits and Windows

Exit ways are obstructed and do not permit free egress from inside the center to the outside in the Infant Classroom room(s).

Corrective Action Plan Exit ways will be kept free from obstructions at all times. Compliance

Non-compliance

Non-compliance

Non-compliance

Date to be Completed: 02/10/2019

(continued)

Compliance

Non-compliance

Date to be Completed: 02/10/2019

8.16.2.29 G Toilet and Bathing Facilities

8.16.2.29 H Safety Compliance

Regulation: 8.16.2.29.F.3.

The list of emergency telephone numbers did not include a phone number for fire, police, ambulance and the poison control center.

Corrective Action Plan

A complete list of emergency phone numbers will be posted next to the phone or on the phone itself if a cordless phone is used.

Regulation: 8.16.2.29.H.3.g.

Date to be Completed: 02/10/2019

8.16.2.29 H3(f)(i)(k) Safety Compliance

N/A

Compliance

Additional Comments

8.16.2.29 J Pets

Playgrounds were not inspected due to weather, playground will be inspected at semi annual.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Lucille Mizner

gen Herard

Facility Representative: Jean Louise Herrera