Facility

Name: Kid's Kountry Place License Number: 123285

Address: 3704 Elks Drive, Las Cruces, NM 88005

Phone: 5755258667 Fax: E-mail: crystalcardenas1987@yahoo.com

License Information

Status: Licensed Type: 3 Star FOCUS Child Issue Date: 08/01/2018 **Expiration Date:** 

Care Center 07/31/2019

Compliance

Capacity

Over Age 2: 92 Under Age 2: 18 Night Care: 0 Playground: 0

Square Footage: 0

Census

Over 2:53 Under 2: 21

Classrooms

Number of Classrooms: 5

Days and Hours of Operation

8.16.2.11 A Types of Licenses

Monday Tuesday Wednesday Thursday Friday

6:30 AM - 6:00 PM 6:30 AM - 6:00 PM

Saturday Sunday Closed Closed

Inspection

Date: 12/13/2018 Time In: 3:30 PM Time Out: 4:46 PM Purpose: Semi-Annual

Licensure

8.16.2.11 B Renewal of License	Compliance
8.16.2.11 D Non-transferable Restrictions of License	Compliance
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	Compliance
8.16.2.17 E, F Surveys for Child Care Facilities	Compliance
8.16.2.18 D Complaints	Compliance

Compliance 8.16.2.21 A Licensing Requirements 8.16.2.21 B Capacity of Centers Compliance

12/13/2018 https://cyfd.org/ 1 of 5

Licensure (continued)	
8.16.2.21 C Incident Reporting Requirements	Compliance
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Compliance
8.16.2.22 C Policy and Procedures	Compliance
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Compliance
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Not Inspected
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Compliance
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services & Care of Children	
8.16.2.24 A Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Not Inspected
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Not Inspected
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24   Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	N/A
8.16.2.24 L Field Trips	Not Inspected

# **Food Service**

8.16.2.25 B Meals and Snacks Compliance

8.16.2.25 C Menus Compliance

8.16.2.25 D Kitchens Non-compliance

The refrigerator in the infant room does not have a working internal thermometer.

Corrective action Plan

The center will obtain and place a working thermometer in refrigerator.

Regulation: 8.16.2.25.D.6.

Date to be Completed: 01/12/2019

8.16.2.25 E Meal Times

Compliance

## Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Not Inspected
8.16.2.26 C Medication	Not Inspected
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	Not Inspected

# Buildings, Grounds & Safety

### 8.16.2.29 A Housekeeping

Non-compliance

The Premises are not in good repair as evidenced by in the preschool room a light fixture is cracked, a kitchen vent needs cleaning, in the ones playground chicken wire is exposed on the wall and a blue tote lid is broken, in the big playground area a table and bench combo are broken and a tote is broken.

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 01/12/2019

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance

# Buildings, Grounds & Safety (continued)

### 8.16.2.29 E Lighting, Lighting Fixtures and Electrical

Non-compliance

Electrical outlets within reach of children in the after-school and preschool room(s) are not safety outlets and they do not have protective covers.

Corrective Action Plan

Protective covers will be added. \*\*CORRECTED ON SITE\*\*

Regulation: 8.16.2.29.E.3.b.

Date to be Completed: 12/13/2018

#### 8.16.2.29 F Exits and Windows

Compliance

### 8.16.2.29 G Toilet and Bathing Facilities

Compliance

#### 8.16.2.29 H Safety Compliance

Non-compliance

The center does not have verification of an annual fire inspection from the fire authority having jurisdiction. Expired 8/18.

Corrective Action Plan

An annual fire inspection will be requested from the fire authority having jurisdiction over the center.

Regulation: 8.16.2.29.H.3.e.

Date to be Completed: 01/12/2019

An evacuation plan is not posted in the ones classroom(s) used by children.

Corrective Action Plan

An evacuation plan will be posted in each room used by children.

Regulation: 8.16.2.29.H.3.f.

Date to be Completed: 01/12/2019

#### 8.16.2.29 H3(f)(i)(k) Safety Compliance

Compliance

8.16.2.29 J Pets N/A

#### Additional Comments

Advised Director to ensure that staff is keeping storage rooms and closets locked/inaccessible.

## Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Crystal Patton

Facility Representative: Crystal Chavez