

Center Name: Kids Kountry Del Rey		Address: 3900 Del Rey Las Cruces, NM 88001			Phone: (575)652-4535		
License Number: 163609	Issue Date: 01/8/2017	Expiration Date: 01/7/2018	Type: 2 Star + Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	91	Under Age 2:	38	Night Care:	0	Playground:	129
		Over 2:	38			Under 2:	20
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:30 AM	06:30 AM	06:30 AM	06:30 AM	06:30 AM	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
# of Classrooms: 6	Purpose: Semi-Annual		Date: 05/19/2017		Time: 09:25 AM		
Comments							


A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Compliance
8.16.2.11 B RENEWAL OF LICENSE	Compliance
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Compliance
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Compliance
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance
8.16.2.18 D COMPLAINTS	Compliance
8.16.2.21 A LICENSING REQUIREMENTS	Compliance
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Compliance
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance


Center Name: Kids Kountry Del Rey	License Number: 163609	Date: 05/19/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS <u>Deficiencies</u> The freezer in the infant room does not have a working internal thermometer. Regulation: 8.16.2.25D(6) <u>Corrective Action Plan</u> The center will obtain and place a working thermometer in freezer. Date to be Completed: 06/19/2017		Non-compliance
8.16.2.25 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Compliance
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Non-compliance

Center Name: Kids Kountry Del Rey	License Number: 163609	Date: 05/19/2017
Buildings, Grounds & Safety		
<p>Deficiencies The Premises are not in good repair as evidenced by in the toddler playground, bricks are loose in the ramp leading down to the playground. Regulation: 8.16.2.29A(1)</p> <p>Corrective Action Plan Repairs will be completed and a system for routine inspection of the center and premises will be established. Date to be Completed: 06/19/2017</p>		
8.16.2.29 B PEST CONTROL	Compliance	
8.16.2.29 C MECHANICAL SYSTEMS	Compliance	
8.16.2.29 D WATER AND WASTE	Compliance	
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Compliance	
8.16.2.29 F EXITS AND WINDOWS	Compliance	
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance	
<p>8.16.2.29 H SAFETY COMPLIANCE</p> <p>Deficiencies The center does not have verification of an annual fire inspection from the fire authority having jurisdiction. Expired 12/16. Regulation: 8.16.2.29H(3)(e)</p> <p>Corrective Action Plan An annual fire inspection will be requested from the fire authority having jurisdiction over the center. Date to be Completed: 06/19/2017</p> <p>Deficiencies The center's fire extinguishers is not inspected yearly. Expired 1/2017 Regulation: 8.16.2.29H(3)(k)</p> <p>Corrective Action Plan Equipment will be maintained and inspected yearly. Date to be Completed: 06/19/2017</p>	Non-compliance	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance	
8.16.2.29 J PETS	N/A	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.


1044

05/19/2017



05/19/2017

Surveyor: Crystal Estrada

Date

Facility Rep: Priscilla Rouse

Date