

Children, Youth and Families Department Child Care Licensing SURVEY REPORT

Center Name:			Address:	EY REPOR	<u></u>			P	hone:	
4100 New Vistas Ct						-	505)898-150	10		
License Number:	Issue Date:	Expiration I		ue, NM 87114 Type:			Status:			
81447	02/1/2017	08/17/2017	Jaie.		CUS Child Care Center		Licensed			
Capacity	02/1/2017	00/17/2017				Ce	nsus			
Over Age 2: 225	Under Age 2:	44 Night	Care:	0 P	layground: 85		er 2:	95	Unde	r 2: 23
Days and Hours of	Operation									
	Monday	Tuesda	v w	/ednesday	Thursday	Fri	iday	Sat	urday	<u>Sunday</u>
Opening Times	Opening Times: 06:00 AM 06:00 AM 06:00 AM 06:00 AM 06:00 AM 06:00 AM Closed					Closed				
Closing Times	: 06:30 PM	06:30 PI	N I	06:30 PM	06:30 PM	06:3	30 PM			
# of Classrooms:		Purpose:			Date:			Time:		
9		Annual			08/16/2017			02:00 F	PM	
Comments Corrected survey fo	r annual dated 6/	19/17.								
			DE AND YOU	I ARE NOTIFIE	ED OF NON-COMPLIANC	E OF THI	E REGULATI	ONS AS I		DW:
				Lice	nsure					
8.16.2.11 A TYPES	OF LICENSES									Not Inspected
8.16.2.11 B RENEW										Not Inspected
8.16.2.11 D NON-TH			OF LICENS	E						Not Inspected
8.16.2.12 A, K, M L	ICENSING ACTIO	ONS AND ADMIN	STRATIVE	APPEALS						Not Inspected
8.16.2.17 E, F SUR	VEYS FOR CHIL	D CARE FACILIT	IES							Compliance
8.16.2.18 D COMPLAINTS					Not Inspected					
8.16.2.21 A LICENS	SING REQUIREM	ENTS								Not Inspected
8.16.2.21 B CAPAC		s								Non-compliance
Deficiencies										
	•	•		•	o sizes in an area o	of the				
		rents, staff and	visitors. In	the Presch	nool 1 classroom.					
Regulation: 8.16										
	Corrective Action Plan									
The center will post the capacity in an area of the room that is easily visible to parents, staff and visitors.										
	oleted: 07/19/2017									
8.16.2.21 C INCIDE	NT REPORTING	REQUIREMENTS	3							Not Inspected
Administrative Requirements										
8.16.2.22 A ADMINISTRATION RECORDS Compliance										
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT					Compliance					
8.16.2.22 C POLICY AND PROCEDURES					Compliance					
8.16.2.22 D FAMILY HANDBOOK					Compliance					
8.16.2.22 E CHILDREN'S RECORDS					Non-compliance					
Survey Depart Fo										Page 1 of 6

Andre News	1			
Center Name: La Petite Academy Inc 7287	License Number: 81447	Date: 08/16/2017		
- -				
Administrative Requirements				
Deficiencies Of the 31 children's records reviewed, 2 is/are missing a copy of an up-to record or public health division approved exemption. See Children's Rec for the child(ren) with no immunization/exemption. Regulation: 8.16.2.22E(1)(e)				
Corrective Action Plan Parents will be advised to submit a complete and up-to-date immunization exemption. The center will review all children's records to ensure complet file. Date to be Completed: 07/19/2017				
Deficiencies Of the 31 children's records reviewed, 2 is/are missing the name and tele two people in the local area to contact in an emergency when a parent of be reached. See Children's Records 8.16.2.22 form for the child(ren) with information. Regulation: 8.16.2.22E(2)(b)	r guardian cannot			
Corrective Action Plan				
Parents will be advised to review and add missing information. The center children's records to ensure up-to-date emergency contact information is Date to be Completed: 07/19/2017				
Deficiencies Of the31children's records reviewed, 1 is/are missing a document giving permission to transport the child in a medical emergency and authorization treatment signed by a parent or guardian. See Children's Records 8.16.2 child(ren) with missing information. Regulation: 8.16.2.22E(2)(d)	on for medical			
<u>Corrective Action Plan</u> Parents will be advised to review and add missing information. The center children's records to ensure emergency medical transportation and treater is on file. Date to be Completed: 07/19/2017				
8.16.2.22 F PERSONNEL RECORDS		Non-compliance		
Deficiencies From the review of staff records, it was determined that 3 out of 27 staff include a professional development plan based on seven areas of compared Records 8.16.2.22 form for staff who need a current plan. Regulation: 8.16.2.22F(1)(n)		Non-compliance		
<u>Corrective Action Plan</u> The center will have staff complete a professional development plan and plan will be maintained on file. Date to be Completed: 07/19/2017	sign the plan . The			
8.16.2.22 G PERSONNEL HANDBOOK		Compliance		
Personnel & Staffing				
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	•	Compliance		
Survey Report Form		Page 2 of 6		

Center Name:	License Number:	Date:		
La Petite Academy Inc 7287	81447	08/16/2017		
Personnel & Staffing				
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING			Non-compliance	
Deficiencies	calth and Safah Training			
Educators did not complete the following training within 3-months: H Regulation: 8.16.2.23B(2)(b)	eann and Salety fraining			
Corrective Action Plan All educators, regardless of the number of hours per week, will comp	plete the above listed training.			
The following staff members need to complete the required training: Date to be Completed: 07/19/2017				
Deficiencies				
From the review of staff records, it was determined that 1 out				
documentation of the 45-hour entry level course or an approve	ed equivalent prior to or within			
six months of employment. Regulation: 8.16.2.23B(2)(c)				
Corrective Action Plan				
Training will be completed for staff as required and documenta Date to be Completed: 07/19/2017	ation retained on file .			
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES			Compliance	
Services	& Care of Children	·		
8.16.2.24 A GUIDANCE			Compliance	
8.16.2.24 B NAPS OR REST PERIOD			Compliance	
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODE	DLERS		Compliance	
8.16.2.24 D DIAPERING AND TOILETING			Compliance	
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SP	ECIAL NEEDS		Not Inspected	
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE			N/A	
8.16.2.24 G PHYSICAL ENVIRONMENT			Compliance	
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Compliance	
8.16.2.24 I EQUIPMENT AND PROGRAM			Compliance	
8.16.2.24 J OUTDOOR PLAY AREAS			Compliance	
8.16.2.24 K SWIMMING, WADING AND WATER			Not Inspected	
8.16.2.24 L FIELD TRIPS			Not Inspected	
Food Service				
8.16.2.25 B MEALS AND SNACKS			Compliance	
8.16.2.25 C MENUS			Compliance	
8.16.2.25 D KITCHENS			Non-compliance	

Center Name:	License Number:	Date:		
La Petite Academy Inc 7287	81447	08/16/2017		
Food Service				
Deficiencies The freezerin the kitchendoes not keep frozen food at 0 degrees Regulation: 8.16.2.25D(6) Corrective Action Plan The center will have the freezer serviced. Date to be Completed: 07/19/2017	s (Fahrenheit) or below.			
8.16.2.25 E MEAL TIMES			Compliance	
Health & Sa	fety Requirements			
8.16.2.26 A HYGIENE			Compliance	
8.16.2.26 B FIRST AID REQUIREMENTS			Compliance	
8.16.2.26 C MEDICATION			Non-compliance	
Deficiencies When medication is no longer needed, it is not returned to the p destroyed but it remains in the center. Expired albuteral for child who is not attending during the summ Regulation: 8.16.2.26C(5)	-			
Corrective Action Plan Medication no longer needed or expired will be returned to the p destroyed. Date to be Completed: 07/19/2017	parents or guardians or			
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS			Compliance	
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS			Compliance	
Buildings,	Grounds & Safety			
8.16.2.29 A HOUSEKEEPING			Non-compliance	
<u>Deficiencies</u> The Equipment are not in good repair as evidenced by cracked "wild animals" in preschool 1 Regulation: 8.16.2.29A(1)	plastic cubby holdin ghte			
Corrective Action Plan Repairs will be completed and a system for routine inspection or will be established. Date to be Completed: 07/19/2017	f the center and premises			
<u>Deficiencies</u> The Furniture are not in good repair as evidenced by the blue cl area in the 2's classroom. Regulation : 8.16.2.29A(1)	nair is torn in the dramtic play			
Corrective Action Plan Repairs will be completed and a system for routine inspection or will be established. Date to be Completed: 07/19/2017	f the center and premises			

Center Name:	License Number:	Date:		
La Petite Academy Inc 7287	81447	08/16/2017		
Buildings, Grounds & Safety				
Deficiencies The Equipment are not in good repair as evidenced by the sliding door utable does not slide open easily in the 2's classroom. Regulation: 8.16.2.29A(1) Corrective Action Plan Repairs will be completed and a system for routine inspection of the cenwill be established. Date to be Completed: 07/19/2017 Deficiencies The premises in the Toddler Room are not safe in that the radio cord is Regulation: 8.16.2.29A(1) Corrective Action Plan The safety violation will be corrected and a system for routine safety inspection of the green stains. Regulation: 8.16.2.29A(1) Corrective Action Plan The safety violation will be corrected and a system for routine safety inspection will be corrected and a system for routine safety inspection of the green stains. Regulation: 8.16.2.29A(1) Corrective Action Plan The floors in the 2's classroom are not clean as evidenced by the green stains. Regulation: 8.16.2.29A(1) Corrective Action Plan Cleaning will be completed and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a schedule for routine cleaning will be explored and a sche	ter and premises not secure . pection developed.			
Date to be Completed: 07/19/2017	stablished.			
8.16.2.29 B PEST CONTROL		Compliance		
8.16.2.29 C MECHANICAL SYSTEMS		Non-compliance		
Deficiencies Water coming from a faucet is above 110 degrees Fahrenheit. Regulation: 8.16.2.29C(5) Corrective Action Plan The center will install a tempering valve ahead of the water-heater piping temperature remains below 110 degrees Fahrenheit. Date to be Completed: 07/19/2017	g to ensure water			
8.16.2.29 D WATER AND WASTE		Compliance		
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance		
 8.16.2.29 F EXITS AND WINDOWS <u>Deficiencies</u> Exits are not marked with signs having letters at least six inches high an the Infant - (6 wk 12 mo.); 2 yr. old; Preschool Lacks 2nd exit sign. roo Regulation: 8.16.2.29F(2)(a) <u>Corrective Action Plan</u> Exit signs that meet requirements will be placed at all exits. Date to be Completed: 07/19/2017		Non-compliance		
8.16.2.29 G TOILET AND BATHING FACILITIES		Compliance		
8.16.2.29 H SAFETY COMPLIANCE		Compliance		

La Petite Academy Inc 7287	81447	08/16/2017		
Buildings, Grounds & Safety				
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL D	RUGS AND CONTROLLED SUBSTANCI	ES Compliance		
8.16.2.29 J PETS		Compliance		
Please note: Per CYFD regulation NMAC 8.16.2, failure to comply	with the corrective action plane of	notod		
above, may result in further action taken against the licensee.	with the corrective action plans as	s noted		
		• •		
Mar A . It.				
DM 2:15m	I MANAU I	1)		
08/16/2017		08/16/2017		
Surveyor:Darlene Montoya Date	Facility Rep:Monica Nieto	Date		
Survey Report Form		Page 6 of 6		
		-		

License Number:

Date:

Center Name: