

Center Name:			Address:					Phone:	
La Petite Academy Inc 7288			12215 Towner NE Albuquerque, NM 87112				(505)294-3703		
License Number: Issue Date: Expiration Date		ate: Type: Sta			Status:	•			
81444	08/28/2017	08/27/2018 5 Star FO		5 Star FOC	CUS Child Care Center Licensed				
Capacity						Cei	nsus		
Over Age 2: 105	Under Age 2:	30 Night	Care:	0 PI	ayground: 135	Ove	er 2: 26	S Un	der 2: 14
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>ednesday</u>	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	Saturday	<u>Sunday</u>
Opening Times:	06:00 AM	06:00 AI	vi (06:00 AM	06:00 AM	06:0	0 AM	Closed	Closed
Closing Times	06:30 PM	06:30 PI	M (06:30 PM	06:30 PM	05:3	0 PM		
# of Classrooms:	P	urpose:			Date:		Ti	me:	
5	S	emi-Annual			01/24/2018		10):30 AM	
Comments									

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspecte
8.16.2.11 B RENEWAL OF LICENSE	Not Inspecte
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspecte
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspecte
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Complianc
8.16.2.18 D COMPLAINTS	Not Inspecte
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspecte
8.16.2.21 B CAPACITY OF CENTERS	Complianc
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspecte
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Complianc
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspecte
8.16.2.22 C POLICY AND PROCEDURES	Not Inspecte
8.16.2.22 D FAMILY HANDBOOK	Not Inspecte
8.16.2.22 E CHILDREN'S RECORDS	Complianc
8.16.2.22 F PERSONNEL RECORDS	Complianc
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspecte
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliano
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Non-compliand

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:	
La Petite Academy Inc 7288	81444	01/24/2018	

Personnel & Staffing

Deficiencies

Educators did not complete the following training within 3-months: Health and Safety Training

Regulation: 8.16.2.23B(2)(b)

Corrective Action Plan

All educators, regardless of the number of hours per week, will complete the above listed training.

The following staff members need to complete the required training:

Date to be Completed: 02/24/2018

246 to 26 completed: 622 #2616	
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance
Services & Care of Children	
8.16.2.24 A GUIDANCE	Not Inspected
8.16.2.24 B NAPS OR REST PERIOD	Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance
8.16.2.24 D DIAPERING AND TOILETING	Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Compliance
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A
8.16.2.24 G PHYSICAL ENVIRONMENT	Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance
8.16.2.24 J OUTDOOR PLAY AREAS	Compliance
8.16.2.24 K SWIMMING, WADING AND WATER	Not Inspected
8.16.2.24 L FIELD TRIPS	Not Inspected
Food Service	
8.16.2.25 B MEALS AND SNACKS	Compliance
8.16.2.25 C MENUS	Compliance
8.16.2.25 D KITCHENS	Compliance
8.16.2.25 E MEAL TIMES	Compliance
Health & Safety Requirements	
8.16.2.26 A HYGIENE	Compliance
8.16.2.26 B FIRST AID REQUIREMENTS	Not Inspected
8.16.2.26 C MEDICATION	Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Compliance
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Compliance
Buildings, Grounds & Safety	
8.16.2.29 A HOUSEKEEPING	Non-compliance

Survey Report Form Page 2 of 3

 Center Name:
 License Number:
 Date:

 La Petite Academy Inc 7288
 81444
 01/24/2018

Buildings, Grounds & Safety

Deficiencies

The hallway has a heavy accumulation of storage.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

A routine will be established to assess all areas of the premises for cleanliness, safety and potential hazards. Corrected on site.

Date to be Completed: 02/24/2018

8.16.2.29 B PEST CONTROL	Compliance
8.16.2.29 C MECHANICAL SYSTEMS	Compliance
8.16.2.29 D WATER AND WASTE	Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Compliance
8.16.2.29 F EXITS AND WINDOWS	Non-compliance
<u>Deficiencies</u> Exit ways are obstructed and do not permit free egress from inside the center to the outside in the 2 yr. old class room(s). Regulation: 8.16.2.29F(3)	
Corrective Action Plan Exit ways will be kept free from obstructions at all times. Corrected on site. Date to be Completed: 02/24/2018	
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance
8.16.2.29 H SAFETY COMPLIANCE	Non-compliance
Deficiencies The center does not have verification of an annual fire inspection from the fire authority having jurisdiction. Regulation: 8.16.2.29H(3)(e) Corrective Action Plan An append fire inspection will be requested from the fire outhority beging jurisdiction ever the	
An annual fire inspection will be requested from the fire authority having jurisdiction over the center. Date to be Completed: 02/24/2018	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance
8.16.2.29 J PETS	N/A
	+

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

01/24/2018

01/24/2018

Surveyor:Darlene Montoya

Date

Facility Rep:Kelly Ullom

Page 3 of 3

Date