

Center Name: La Petite Academy Inc 7289		Address: 2800 Southern Blvd Rio Rancho, NM 87124			Phone: (505)892-4644		
License Number: 11820	Issue Date: 06/9/2017	Expiration Date: 06/8/2018	Type: 5 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	97	Under Age 2:	11	Night Care:	0	Playground:	108
						Over 2:	62
						Under 2:	6
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:00 AM	06:00 AM	06:00 AM	06:00 AM	06:00 AM	Closed	Closed
Closing Times:	06:30 PM	06:30 PM	06:30 PM	06:30 PM	06:30 PM		
# of Classrooms: 5	Purpose: Complaint		Date: 06/23/2017		Time: 10:15 AM		
Comments This survey is in reference to a referral received on 6/22/17.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Not Inspected
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Not Inspected

Center Name: La Petite Academy Inc 7289	License Number: 11820	Date: 06/23/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Not Inspected
8.16.2.24 B NAPS OR REST PERIOD		Not Inspected
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Not Inspected
8.16.2.24 D DIAPERING AND TOILETING		Not Inspected
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		Not Inspected
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Not Inspected
8.16.2.24 J OUTDOOR PLAY AREAS		Not Inspected
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Not Inspected
8.16.2.25 D KITCHENS		Not Inspected
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Not Inspected
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Not Inspected
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Non-compliance

Center Name: La Petite Academy Inc 7289	License Number: 11820	Date: 06/23/2017
---	---------------------------------	----------------------------

Buildings, Grounds & Safety

Deficiencies

When the air temperature in the center exceeds 82 degrees Fahrenheit, the center's cooling equipment, portable evaporative coolers (refrigerated air conditioners), cannot be used because it has not been maintained. Assistant director indicated that yesterday and all this week the Toddler and Twos classrooms had a temperature reading of 84-85 degrees.

Regulation: 8.16.2.29C(1)

Corrective Action Plan

Cooling equipment will be maintained and used when the temperature exceeds 82 degrees. The center made accommodations for the children by moving them to a cooler classroom. Yesterday the center brought in evaporative cooler units for the Toddler and Twos classrooms. The center will have new air conditioning units installed next Thursday /Friday the week of 6/26/17.

Date to be Completed: 06/22/2017

8.16.2.29 D WATER AND WASTE	Not Inspected
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Not Inspected
8.16.2.29 F EXITS AND WINDOWS	Not Inspected
8.16.2.29 G TOILET AND BATHING FACILITIES	Not Inspected
8.16.2.29 H SAFETY COMPLIANCE	Not Inspected
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Not Inspected
8.16.2.29 J PETS	Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Kia Kennedy

06/23/2017

Angela Tomer

06/23/2017

Surveyor: Kia Kennedy	Date	Facility Rep: Angela Tomer	Date
-----------------------	------	----------------------------	------