**Facility** 

Name: Little Buckaroos Daycare and Preschool LLC License Number: 159159

Address: 829 East 2nd Street, Portales, NM 88130

Phone: 5752263730 Fax: E-mail: littlebuckaroos@yucca.net

License Information

Type: 5 Star FOCUS Child Status: Licensed Issue Date: 02/01/2018 Expiration Date:

*Care Center* 01/31/2019

Capacity

Over Age 2: 29 Under Age 2: 23 Night Care: 0 Playground: 61

Square Footage: 1820

Census

Over 2: 23 Under 2: 12

Classrooms

Number of Classrooms: 5

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

Saturday Sunday Closed Closed

Inspection

Date: 11/26/2018 Time In: 12:00 PM Time Out: 3:45 PM Purpose: Annual

Licensure

8.16.2.11 A Types of Licenses	Compliance
8.16.2.11 B Renewal of License	Compliance
8.16.2.11 D Non-transferable Restrictions of License	Compliance
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	Compliance
8.16.2.17 E, F Surveys for Child Care Facilities	Compliance
8.16.2.18 D Complaints	Compliance
8.16.2.21 A Licensing Requirements	Compliance
8.16.2.21 B Capacity of Centers	Compliance

11/26/2018 https://cyfd.org/ 1 of 5

Licensure (continued)	
8.16.2.21 C Incident Reporting Requirements	Compliance
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Compliance
8.16.2.22 C Policy and Procedures	Compliance
8.16.2.22 D Family Handbook	Compliance
8.16.2.22 E Children's Records	Compliance
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Compliance
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Compliance
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services & Care of Children	
8.16.2.24 A Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Compliance
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance

# Services & Care of Children (continued)

### 8.16.2.24 J Outdoor Play Areas

Non-compliance

Playground climbing equipment is not safe as evidenced by the following: protruding nail heads or screws, accessible sharp edges or points.

Stakes securing a "bus" climber need to be driven into the ground or removed. Bridge on Step 2 equipment has cracked plastic and needs to be repaired or removed.

Corrective Action Plan

Equipment will be removed or made inaccessible until repairs can be made. A schedule for routine inspection and maintenance will be devised.

Regulation: 8.16.2.24.J.1.

Date to be Completed: 12/27/2018

The fall zone underneath the climber and swings is not adequate as evidenced by the resilient material is not uniformly spread over the fall zone area.

Corrective Action Plan

An approved resilient surface will be provided beneath the climbing structures, swings, and slides.

Regulation: 8.16.2.24.J.3.

Date to be Completed: 12/27/2018

#### 8.16.2.24 K Swimming, Wading and Water

N/A

#### 8.16.2.24 L Field Trips

N/A

### Food Service

8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance

### Health & Safety Requirements

8.16.2.26 A Hygiene

Compliance

# Health & Safety Requirements (continued)

### 8.16.2.26 B First Aid Requirements

Non-compliance

The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR).

Corrective Action Plan

All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).

Regulation: 8.16.2.26.B.1.

Date to be Completed: 12/27/2018

Date to be Completed: 12/27/2018

8.16.2.26 C Medication	Compliance
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	N/A

# Buildings, Grounds & Safety

8.16.2.29 A Housekeeping

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance

#### 8.16.2.29 F Exits and Windows

Non-compliance

Compliance

Illuminated exit signs are not maintained in operable condition in the 3 yr. old class room(s).

Backup batteries are not functional.

Corrective Action Plan

Illuminated exit signs will be made operational.

Regulation: 8.16.2.29.F.2.b.

8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance
8.16.2.29 H3(f)(i)(k) Safety Compliance	Compliance
8.16.2.29 J Pets	Compliance

### **Additional Comments**

None

<b>.</b>			
Sia	ına	ч	ires
	ше	w	112

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Χ\_\_\_\_\_

Surveyor: Rebecca Garcia

Facility Representative: Renee Griffin