**Facility** 

Name: Little Lobitos License Number: 158624

Address: 5015 4th St NW, Albuquerque, NM 87106

Phone: 5053450971 Fax: n/a E-mail: n/a

License Information

Type: 3 Star FOCUS Child Status: Licensed Issue Date: 10/28/2017 Expiration Date:

Care Center 10/27/2018

Capacity

Over Age 2: 26 Under Age 2: 10 Night Care: 0 Playground: 34

Square Footage: n/a

Census

Over 2: 27 Under 2: 4

Classrooms

Number of Classrooms: 2

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

Saturday Sunday
Closed Closed

Inspection

Date: 03/27/2018 Time In: 11:20 AM Time Out: 12:30 PM Purpose: Semi-Annual

Licensure

8.16.2.11 A Types of Licenses Not Inspected

8.16.2.11 B Renewal of License Not Inspected

8.16.2.11 D Non-transferable Restrictions of License Not Inspected

8.16.2.12 A, K, M Licensing Actions and Administrative Appeals

Not Inspected

8.16.2.17 E, F Surveys for Child Care Facilities Compliance

8.16.2.18 D Complaints

Not Inspected

8.16.2.21 A Licensing Requirements Compliance

# Licensure (continued)

## 8.16.2.21 B Capacity of Centers

Non-compliance

The center exceeded the allowable number of children stated on the license by either total or age as evidenced by Center is over capacity by one child

.

Corrective Action Plan

The center will limit the number of children in care to the authorized capacity.

Date to be Completed: 04/26/2018

#### 8.16.2.21 C Incident Reporting Requirements

Not Inspected

## Administrative Requirements

8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Not Inspected
8.16.2.22 C Policy and Procedures	Not Inspected
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Not Inspected
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Not Inspected

# Personnel & Staffing

Compliance
Not Inspected
Compliance

# Services & Care of Children

8.16.2.24 D Diapering and Toileting	Non-compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 A Guidance	Compliance

The diaper changing surface in the 2 yr. old class room(s) is not waterproof.

Corrective Action Plan

An educator will change a child's diaper on a clean, safe, waterproof surface and discard any disposable cover and disinfect the surface after each diaper change.

Date to be Completed: 04/26/2018

#### 8.16.2.24 D Diapering and Toileting (continued)

Non-compliance

Soiled diapers in the 2 yr. old class room(s) are not stored in a secure container with a tight-fitting lid to assure proper hygiene and control of odors. Diapers are stored in the trash cans.

Corrective Action Plan

A container with a tight-fitting lid will be provided.

Date to be Completed: 04/26/2018

8.16.2.24 E Additional Requirements for Children with Special Needs	Not Inspected
8.16.2.24 F Additional Requirements for Night Care	Not Inspected
8.16.2.24 G Physical Environment	Not Inspected
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wadding and Water	Not Inspected
8.16.2.24 L Field Trips	Not Inspected

## **Food Service**

8.16.2.25 B Meals and Snacks

8.16.2.25 C Menus

Compliance

8.16.2.25 D Kitchens

Non-compliance

A leftover is not properly stored; the item is not labeled and dated. (Refrigerator)

Corrective Action Plan

The person responsible for food service will be instructed in proper food storage.

Date to be Completed: 04/26/2018

8.16.2.25 E Meal Times Compliance

# Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	N/A
8.16.2.27 A-D Illness Requirements for Centers	N/A
8 16 2 28 A-H Transportation Requirements for Centers	N/A

# Buildings, Grounds & Safety

#### 8.16.2.29 A Housekeeping

Non-compliance

The Premises are not in good repair as evidenced by Walls are showing stress cracks in front area

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 04/26/2018

The Equipment are not in good repair as evidenced by fire panel reads trouble and will sound intermitantly

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 04/26/2018

8.16.2.29 B Pest Control Compliance

8.16.2.29 C Mechanical Systems Compliance

8.16.2.29 D Water and Waste

8.16.2.29 E Lighting, Lighting Fixtures and Electrical Compliance

8.16.2.29 F Exits and Windows

Compliance Compliance

8.16.2.29 G Toilet and Bathing Facilities

Compliance

8.16.2.29 H Safety Compliance

Non-compliance

The center does not have verification of an annual fire inspection from the fire authority having jurisdiction.

Corrective Action Plan

An annual fire inspection will be requested from the fire authority having jurisdiction over the center.

Date to be Completed: 04/26/2018

The center failed to conduct a fire drill for the month(s) of February.

Date to be Completed: 04/26/2018

8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances

Compliance

8.16.2.29 J Pets

N/A

#### Additional Comments

None

#### Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Helen Waldorf

Facility Representative: Karime Reyes