

Center Name: Little Steps Learning Center		Address: 111 E. Reed Roswell, NM 88203			Phone: (575)623-6402		
License Number: 155317	Issue Date: 08/9/2017	Expiration Date: 08/8/2018	Type: 2 Star + Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	76	Under Age 2:	13	Night Care:	0	Playground:	97
						Over 2:	17
						Under 2:	9
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	06:30 AM	06:30 AM	06:30 AM	06:30 AM	06:30 AM	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
# of Classrooms: 5	Purpose: Semi-Annual		Date: 12/13/2017		Time: 09:20 AM		
Comments Center had broken thermometer in kitchen refrigerator. Center replaced it on site.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Compliance
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Compliance
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Non-compliance

Center Name: Little Steps Learning Center	License Number: 155317	Date: 12/13/2017
Administrative Requirements		
<p><u>Deficiencies</u> Of the 11 children's records reviewed, 1 is/are missing a copy of an up-to-date immunization record or public health division approved exemption. See Children's Records 8.16.2.22 form for the child(ren) with no immunization/exemption. Regulation: 8.16.2.22E(1)(e)</p> <p><u>Corrective Action Plan</u> Parents will be advised to submit a complete and up-to-date immunization record or exemption. The center will review all children's records to ensure complete information is on file. Date to be Completed: 01/06/2018</p>		
8.16.2.22 F PERSONNEL RECORDS		Compliance
8.16.2.22 G PERSONNEL HANDBOOK		Not Inspected
Personnel & Staffing		
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS		Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING		Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES		Compliance
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
<p>8.16.2.24 B NAPS OR REST PERIOD</p> <p><u>Deficiencies</u> The center does not provide a clearly labeled individual bed, cot or mat for each child to ensure each child uses the same items between washing. Regulation: 8.16.2.24B(4)</p> <p><u>Corrective Action Plan</u> Sleep items will be labeled for each child. Date to be Completed: 01/06/2018</p>		Non-compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Compliance
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		Not Inspected
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Non-compliance

Center Name: Little Steps Learning Center	License Number: 155317	Date: 12/13/2017
Services & Care of Children		
<p><u>Deficiencies</u> The fall zone underneath the swings; slide is not adequate as evidenced by the resilient material is not uniformly spread over the fall zone area; the resilient material is not deep enough. Regulation: 8.16.2.24J(3)</p> <p><u>Corrective Action Plan</u> An approved resilient surface will be provided beneath the climbing structures, swings, and slides. Date to be Completed: 01/06/2018</p> <p><u>Deficiencies</u> Playground swing equipment is not safe as evidenced by the following: Plastic landscaping material is exposed through the resilient material posing a trip hazard.. Regulation: 8.16.2.24J(1)</p> <p><u>Corrective Action Plan</u> Equipment will be removed or made inaccessible until repairs can be made. A schedule for routine inspection and maintenance will be devised. Date to be Completed: 01/06/2018</p>		
8.16.2.24 K SWIMMING, WADING AND WATER		N/A
8.16.2.24 L FIELD TRIPS		N/A
Food Service		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Compliance
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING <u>Deficiencies</u> The Ceiling tiles are not in good repair as evidenced by water stains. Regulation: 8.16.2.29A(1) <u>Corrective Action Plan</u> Repairs will be completed and a system for routine inspection of the center and premises will be established. Date to be Completed: 01/06/2018		Non-compliance

Center Name: Little Steps Learning Center	License Number: 155317	Date: 12/13/2017
Buildings, Grounds & Safety		
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Compliance
8.16.2.29 D WATER AND WASTE		Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Compliance
8.16.2.29 F EXITS AND WINDOWS		Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES		Compliance
8.16.2.29 H SAFETY COMPLIANCE		Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Compliance
8.16.2.29 J PETS		Compliance

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Nicholas Conde 11:05 PM

12/13/2017

Felicia Juarez

12/13/2017

Surveyor: Nicholas Conde

Date

Facility Rep: Felicia Juarez

Date