

<b>Center Name:</b> Maddy Tay's II		<b>Address:</b> 102 S. Utah Roswell, NM 88203			<b>Phone:</b> (575)622-1340		
<b>License Number:</b> 72771	<b>Issue Date:</b> 06/1/2016	<b>Expiration Date:</b> 05/31/2017	<b>Type:</b> 5 Star FOCUS Child Care Center		<b>Status:</b> Licensed		
<b>Capacity</b>					<b>Census</b>		
Over Age 2:	69	Under Age 2:	18	Night Care:	0	Playground:	110
		Over 2:	18			Under 2:	8
<b>Days and Hours of Operation</b>							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 AM	07:00 AM	07:00 AM	07:00 AM	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
<b># of Classrooms:</b> 5	<b>Purpose:</b> Annual		<b>Date:</b> 04/17/2017		<b>Time:</b> 09:23 AM		
<b>Comments</b>							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Compliance
8.16.2.11 B RENEWAL OF LICENSE	Compliance
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Compliance
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Compliance
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Compliance
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Compliance
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Compliance
8.16.2.22 C POLICY AND PROCEDURES	Compliance
8.16.2.22 D FAMILY HANDBOOK	Compliance
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Compliance
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

<b>Center Name:</b> Maddy Tay's II	<b>License Number:</b> 72771	<b>Date:</b> 04/17/2017
<b>Services &amp; Care of Children</b>		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Compliance
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS  <b>Deficiencies</b> Playground equipment is not safe as evidenced by the following: chipped or peeling paint. Three metal toy structures have peeling paint and are rusted where the paint has started peeling. <b>Regulation:</b> 8.16.2.24J(1)  <b>Corrective Action Plan</b> Equipment will be removed or made inaccessible until repairs can be made. A schedule for routine inspection and maintenance will be devised. <b>Date to be Completed:</b> 05/17/2017		Non-compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
<b>Food Service</b>		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Compliance
<b>Health &amp; Safety Requirements</b>		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Compliance
8.16.2.26 C MEDICATION		Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Compliance
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Compliance
<b>Buildings, Grounds &amp; Safety</b>		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Compliance

<b>Center Name:</b> Maddy Tay's II	<b>License Number:</b> 72771	<b>Date:</b> 04/17/2017
<b>Buildings, Grounds &amp; Safety</b>		
<b>8.16.2.29 D WATER AND WASTE</b>	Compliance	
<b>8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL</b> <u>Deficiencies</u> The center does not have emergency lighting that turns on automatically when electrical service is disrupted. This is evidenced in the after school room. Regulation: 8.16.2.29E(2) <u>Corrective Action Plan</u> Emergency lighting will be installed. Date to be Completed: 05/17/2017	Non-compliance	
<b>8.16.2.29 F EXITS AND WINDOWS</b>	Compliance	
<b>8.16.2.29 G TOILET AND BATHING FACILITIES</b>	Compliance	
<b>8.16.2.29 H SAFETY COMPLIANCE</b>	Compliance	
<b>8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES</b>	Compliance	
<b>8.16.2.29 J PETS</b>	Compliance	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.



04/17/2017



04/17/2017

Surveyor: Allen Anderson

Date

Facility Rep: Summer Rossow

Date