

Children, Youth and Families Department Child Care Licensing SURVEY REPORT

Center Name: Address: Phone: 7409 Purple Cone Rd. SW Marcia Durazo-Acuna (505)319-9357 Albuquerque, NM 87121 License Number: Issue Date: **Expiration Date:** Type: Status: 165548 03/1/2017 09/29/2017 2 Star + Family Child Care Home Licensed Census Capacity 2 Night Care: Playground: Over Age 2: 4 Under Age 2: 0 0 Over 2: 3 Under 2: 1 Days and Hours of Operation Wednesday Thursday Friday Saturday Sunday Monday Tuesday 06:00 AM 06:00 AM 06:00 AM 06:00 AM 06:00 AM Closed Closed **Opening Times:** 06:00 PM 06:00 PM 06:00 PM 06:00 PM 06:00 PM Closing Times: Date: Time: # of Classrooms: Purpose: 1 Annual 07/14/2017 10:00 AM Comments A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW: Licensure 8.16.2.31 A LICENSING REQUIREMENTS Not Inspected 8.16.2.31 B CAPACITY OF A HOME Compliance 8.16.2.31 C INCIDENT REPORTING REQUIREMENTS Not Inspected Administrative Requirements 8.16.2.32 A ADMINISTRATIVE RECORDS Compliance Compliance 8.16.2.32 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT Compliance 8.16.2.32 C PARENT HANDBOOK 8.16.2.32 D CHILDREN'S RECORDS Compliance Compliance 8.16.2.32 E PERSONNEL RECORDS 8.16.2.32 F PERSONNEL HANDBOOK Not Inspected **Personnel & Staffing** 8.16.2.33 A PERSONNEL AND STAFFING REQUIREMENTS Compliance 8.16.2.33 B STAFF QUALIFICATIONS AND TRAINING Compliance Services & Care of Children Compliance 8.16.2.34 A GUIDANCE 8.16.2.34 B NAPS OR REST PERIOD Not Inspected 8.16.2.34 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS Compliance Compliance 8.16.2.34 D DIAPERING AND TOILETING 8.16.2.34 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS Compliance N/A 8.16.2.34 F NIGHT CARE Compliance 8.16.2.34 G PHYSICAL ENVIRONMENT

Center Name:	License Number:	Date:		
Marcia Durazo-Acuna	165548	07/14/2017		
Services &	& Care of Children			
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance		
8.16.2.34 I EQUIPMENT AND PROGRAM			Compliance	
8.16.2.34 J OUTDOOR PLAY			Non-compliance	
Deficiencies				
Children were not protected from the sun during outside play as instructed by the child's parent or guardian.				
Regulation: 8.16.2.34J(5)				
Corrective Action Plan				
The home shall ensure that children are protected from the sun, as instructed by the child's				
parent or guardian.				
Date to be Completed: 08/14/2017				
8.16.2.34 K SWIMMING, WADING AND WATER			Not Inspected	
8.16.2.34 L FIELD TRIPS			Not Inspected	
Food Service				
8.16.2.35 B MEALS AND SNACKS			Compliance	
8.16.2.35 C MENUS		Compliance		
8.16.2.35 D KITCHENS			Compliance	
8.16.2.35 E MEAL TIMES			Compliance	
Health & Sa	afety Requirements			
8.16.2.36 A HYGIENE			Compliance	
8.16.2.36 B FIRST AID REQUIREMENTS			Compliance	
8.16.2.36 C MEDICATION			Compliance	
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES			Compliance	
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES			Compliance	
Buildings, Grounds & Safety				
8.16.2.38 A HOUSEKEEPING			Non-compliance	
<u>Deficiencies</u>				
The premises are not in good repair as evidenced by flooring is <b>Regulation:</b> 8.16.2.38A(1)	s concrete.			
Corrective Action Plan				
Repairs will be completed and a system for routine inspection on be established.	of the home and premises will			
Date to be Completed: 08/14/2017				
8.16.2.38 B PEST CONTROL			Compliance	
8.16.2.38 C MECHANICAL SYSTEMS			Compliance	
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Compliance	
8.16.2.38 E EXITS			Compliance	
8.16.2.38 F TOILET AND BATHING FACILITIES			Compliance	
Survey Pepert Form			Page 2 of 3	

Center Name:	License Number:	Date:		
Marcia Durazo-Acuna	165548	07/14/2017		
Buildings, Grounds & Safety				
8.16.2.38 G SAFETY COMPLIANCE Compliance				
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES				
8.16.2.38 I PETS		Complianc		
Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted				
above, may result in further action taken against the licensee.				
Δ	( )			
111.1 121	Umia Br	15		
PW 12.30 1		$\mathcal{V}$		
07/14/2017		07/14/2017		

Date

Facility Rep:Maria Durazo-Acuna

Surveyor:Patricia Williams

Survey Report Form

Date